	کی کی انداز کی	HIK	VISION®	0
			IFF9991AO M NOVINSHABAKEH.COM	توین سبخه ،میں ویر ۲۰۱۰ ۲۰
		IP	CAMERA	
	IP LITE BULL	ET		
1	AUTOR 2	DS-2CD1021G0E-I	1/2.8" progressive scan CMOS - Up to 2.0 megapixel - 2.8 mm/4 mm/6 mm fixed focal lens - Up to 30 m lR range - Dual stream - Digital WDR (Wide Dynamic Range) - 3D DNR (Digital Noise Reduction) - PoE (Power over Ethernet) - IP67 Mobile monitoring via Hik-Connect or IVMS-4500	ناموجود
2		DS-2CD1023G0E-I	2 MP Fixed Bullet Network Camera * High quality imaging with 2 MP resolution * Efficient H.265+ compression technology * Clear imaging against strong back light due to DWDR technology * Water and dust resistant (IP67) * EXIR 2.0: advanced infrared technology with long IR range	IRR 26,940,000
3		DS-2CD1023G0-I	2 MP Fixed Bullet Network Camera * High quality imaging with 2 MP resolution * Efficient H.265+ compression technology * Clear imaging against strong back light due to DWDR technology * Water and dust resistant (IP67) * EXIR 2.0: advanced infrared technology with long IR range	ناموجود
4	MAGON 2	DS-2CD1023G0-IUF	2 MP Fixed Bullet Network Camera * High quality imaging with 2 MP resolution * Efficient H.265+ compression technology * Clear imaging against strong back light due to DWDR technology * Water and dust resistant (IP67) * EXIR 2.0: advanced infrared technology with long IR range * Buit in mic	IRR 40,770,000
5		DS-2CD1043G0-I	4 MP Fixed Bullet Network Camera * High quality imaging with 4 MP resolution * Efficient H.265+ compression technology * Clear imaging against strong back light due to DWDR technology * Water and dust resistant (IP67) * EXIR 2.0: advanced infrared technology with long IR range	IRR 35,160,000
6	a	DS-2CD1047G0-L	4 MP Fixed Bullet Network Camera * High quality imaging with 4 MP resolution * Efficient H.265+ compression technology * Clear imaging against strong back light due to DWDR technology * Water and dust resistant (IP67) * COLOR-VU (Coorfull in night)	ناموجود
7	AKONOV #	DS-2CD1053G0-I	5 MP Fixed Bullet Network Camera - High quality imaging with 5 MP resolution. Efficient H.265+ compression technology - Clear imaging even with strong back lighting due to 120 dB WDR J (IP67) - EXIR 2.0: advanced infrared technology with long IR range - UF: Built-in microphone for real-time audio security	IRR 51,940,000
8		DS-2CD1057G0-L	5MP ColorVu Lite Fixed Bullet Network Camera, High quality imaging with 5 MP resolution Excellent low-light performance, Efficient H.265+ compression technology, Water and dust resistant (IP67), 24/7	IRR 58,820,000
	IP LITE DO	DME		
9		DS-2CD1123G0E-I	2 MP Fixed Dome Network Camera * High quality imaging with 2 MP resolution * Efficient H.265+ compression technology * Clear imaging against strong back light due to DWDR technology * Water and dust resistant (IP67) * EXIR 2.0; advanced infrared technology with long IR range	IRR 26,360,000
10	-	HIKLBok DS-2CD1323G0E-I	2 MP Fixed Turret Network Camera * High quality imaging with 2 MP resolution * Efficient H.265+ compression technology * Clear imaging against strong back light due to DWDR technology * Water and dust resistant (IP67) * EXIR 2.0: advanced infrared technology with long IR range	IRR 29,590,000
11	-	DS-2CD1323G0-IUF	2 MP Fixed Turret Network Camera * High quality imaging with 2 MP resolution * Efficient H.265+ compression technology * Clear imaging against strong back light due to DWDR technology * Water and dust resistant (IP67) * EXIR 2.0: advanced infrared technology with long IR range - Support up to 256 GB SD card storage	ناموجود
12	arcov	DS-2CD1327G0-L	2 MP Fixed Turret Network Camera * High quality imaging with 2 MP resolution * Efficient H.265+ compression technology * Clear imaging against strong back light due to DWDR technology * Water and dust resistant (IP67) * Color VU	ناموجود

	[
13		DS-2CD1143G0-I	4 MP Fixed Dome Network Camera * High quality imaging with 4 MP resolution * Efficient H.265+ compression technology * Clear imaging against strong back light due to DWDR technology * Water and dust resistant (IP67) * EXIR 2.0: advanced infrared technology with long IR range	IRR	41,780,000
14	autor	DS-2CD1143G0-IUF	high quality imaging with 4 MP resolution - Efficient H.265+ compression technology - Clear imaging even with strong back lighting due to 120 dB WDR - Water and dust resistant (IP67) and vandal resistant (IK10) - EXIR 2.0: advanced infrared technology with long IR range - Support up to 256 GB SD card storage - Built-in microphone for real-time audio security		ناموجود
15	minun	DS-2CD1347G0-L	High quality imaging with 4 MP resolution. Excellent low-light performance.Efficient H.265+ compression technology. Water and dust resistant (IP67). 24/7 colorful imaging.	IRR	81,650,000
16	ANTISOV	DS-2CD1153G0-I	High quality imaging with 5 MP resolution Efficient H.265+ compression technology Clear imaging even with strong back lighting due to 120 dB WDR Water and dust resistant (IP67) and vandal resistant (IK10) EXIR 2.0: advanced infrared technology with long IR range	IRR	54,540,000
17	in the second se	HIKLeek DS-2CD1353G0-I	High quality imaging with 5 MP resolution Efficient H.265+ compression technology Clear imaging even with strong back lighting due to 120 dB WDR Water and dust resistant (IP67) EXIR 2.0: advanced infrared technology with long IR range		ناموجود
18	autoov	DS-2CD1357G0-L	High quality imaging with 5 MP resolution. Excellent low-light performance.Efficient H.265+ compression technology. Water and dust resistant (IP67). 24/7 colorful imaging.	IRR	58,790,000
	IP MINI BUL	LET			
19	Ancient of	DS-2CD2021G1-I	High quality imaging with 2 MP resolution Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Water and dust resistant (IP67) - Support up to 256 GB SD card storage	IRR	49,980,000
20	Contraction of the second seco	DS-2CD2023G2-I	2 MP Outdoor WDR Fixed Bullet Network * Camera High quality imaging with 4 MP resolution * Efficient H.265+ compression technology * Clear imaging against strong back light due to 120 dB true WDR technology * Water and dust resistant (IP67) * Robust structure design with full metal materials.	IRR	59,940,000
21	A0000 - 3.1	DS-2CD2027G2-L	High quality imaging with 2 MP resolution - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB WDR technology - 24/7 colorful imaging Focus on human and vehicle classification based on deep learning Water and dust resistant (IP67)	IRR	71,040,000
22	0-	DS-2CD2043G2-I	4 MP Outdoor WDR Fixed Bullet Network * Camera High quality imaging with 4 MP resolution * Efficient H.265+ compression technology * Clear imaging against strong back light due to 120 dB true WDR technology * Water and dust resistant (IP67) * Robust structure design with full metal materials.	IRR	66,460,000
23	1000 State	DS-2CD2043G2-IU	High quality imaging with 4 MP resolution - Clear imaging against strong backlight due to 120 dB WDR technology - Efficient H.265+ compression technology -U: Built-in microphone for real-time audio security - Water and dust resistant (IP67) - Focus on human and vehicle targets classification based on deep learning	IRR	79,110,000
24	0-	DS-2CD2045FWD-I	High quality imaging with 4 MP resolution - Excellent low-light performance via powered-by-DarkFighter technology - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Water and dust resistant (IP67) - Robust structure design with full metal material		ناموجود
25	(S) and S	HIKLook DS-2CD2046G2-I	High quality imaging with 4 MP resolution - Excellent low-light performance with - powered-by-DarkFighter technology - Clear imaging against strong back light due to 120 dB true WDR technology - Efficient H.265+ compression technology - False alarm reduction through human and vehicle target classification based on deep learning -U: Water and dust resistant (IP66); -I: Water and dust resistant (IP67) - 3D DNR technology delivers clean and sharp images	IRR	70,760,000

_			1	
26		DS-2CD2047G2-L	High quality imaging with 4 MP resolution - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB WDR technology - 24/7 colorful imaging Focus on human and vehicle classification based on deep learning Water and dust resistant (IP67)	ناموجود
27	0	DS-2CD2063G2-I	6 MP Outdoor WDR Fixed Bullet Network * Camera High quality imaging with 6 MP resolution * Efficient H.265+ compression technology * Clear imaging against strong back light due to 120 dB true WDR technology * Water and dust resistant (IP67) * Robust structure design with full metal materials.	IRR 72,800,000
28		DS-2CD2066G2-I	High quality imaging with 6 MP resolution - Excellent low-light performance with - powered-by-DarkFighter technology - Clear imaging against strong back light due to 120 dB true WDR technology - Efficient H.265+ compression technology - False alarm reduction through human and vehicle target classification based on deep learning -IU: Water and dust resistant (IP66); -I: Water and dust resistant (IP67) - 3D DNR technology delivers clean and sharp images	IRR 78,390,000
29	6-	DS-2CD2083G2-I	8 MP Outdoor WDR Fixed Bullet Network * Camera High quality imaging with 8 MP resolution * Efficient H.265+ compression technology * Clear imaging against strong back light due to 120 dB true WDR technology * Water and dust resistant (IP67) * Robust structure design with full metal materials.	IRR 77,710,000
30	0-	DS-2CD2085FWD-I	8 MP Outdoor WDR Fixed Bullet Network * Camera High quality imaging with 8 MP resolution * Efficient H.265+ compression technology * Clear imaging against strong back light due to 120 dB true WDR technology * Water and dust resistant (IP67) * Robust structure design with full metal materials.	IRR 117,160,000
31	worraw	DS-2CD2085G1-I	High quality imaging with 8 MP resolution - Excellent low-light performance via powered-by-DarkFighter technology. Efficient H.265+ Compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Water and dust resistant (IP67) - Robust structure design with full metal material	IRR 117,160,000
32	ator C	DS-2CD2086G2-I	High quality imaging with 8 MP resolution - Excellent low-light performance with - powered-by-DarkFighter technology - Clear imaging against strong back light due to 120 dB true WDR technology - Efficient H.265+ compression technology - False alarm reduction through human and vehicle target classification based on deep learning -IU: Water and dust resistant (IP66); -I: Water and dust resistant (IP67) - 3D DNR technology delivers clean and sharp images	IRR 98,810,000
33	annov (1)	DS-2CD2087G2-LU	High quality imaging with 8 MP resolution - Efficient H.265+ compression technology - Clear imaging against strong back light due to 130 dB WDR technology - Focus on human and vehicle classification based on deep learning - 24/7 colorful imaging - Built-in microphone for real-time audio security (-U)	IRR 156,550,000
	IP BULLET	-2T		
34		DS-2CD2T43G0-I5	4 MP Outdoor WDR Fixed Bullet Network Camera * High quality imaging with 4 MP resolution * Efficient H.265+ compression technology * Clear imaging against strong back light due to 120 dB true WDR technology * Water and dust resistant (IP67) * Robust structure design with full metal materials. * IR : 50M	ناموجود
35		DS-2CD2T43G2-2I (2.8mm)	4 MP Outdoor WDR Fixed Bullet Network Camera * High quality imaging with 4 MP resolution * Efficient H.265+ compression technology * Clear imaging against strong back light due to 120 dB true WDR technology * Water and dust resistant (IP67) * Robust structure design with full metal materials. * IR : 60M	IRR 66,970,000
36		DS-2CD2T43G2-2I (4.0mm)	High quality imaging with 4 MP resolution - Clear imaging against strong backlight due to 120 dB WDR technology - Efficient H.265+ compression technology - Water and dust resistant (IP67)21: up to 60 m - Focus on human and vehicle targets classification based on deep learning- 2.8mm	IRR 66,970,000
37	0-0	DS-2CD2T43G2-4I	High quality imaging with 4 MP resolution - Clear imaging against strong backlight due to 120 dB WDR technology - Efficient H.265+ compression technology - Water and dust resistant (IP67)41: up to 80 m - Focus on human and vehicle targets classification based on deep learning- 2.8mm	IRR 72,380,000
38		DS-2CD2T46G2-4I W	High quality imaging with 4 MP resolution - Excellent low-light performance with powered-by-DarkFighter technology Clear imaging against strong backlight due to 120 dB true WDR technology - Efficient H.265+ compression technology Focus on human and vehicle targets classification based on deep learning - Water and dust resistant (IP67)	ناموجود

39		DS-2CD2T47G2-L	4 MP ColorVu Fixed Bullet Network Camera - High quality imaging with 4 MP resolution - Efficient H.265+ compression technology Clear imaging against strong backlight due to 130 dB WDR technology - Focus on human and vehicle targets classification based on deep learning - 24/7 colorful imaging - Water and dust resistant (IP67)	IRR	95,580,000
40		DS-2CD2T63G2-4I	6 MP Outdoor WDR Fixed Bullet Network Camera * High quality imaging with 6 MP resolution * Efficient H.265+ compression technology * Clear imaging against strong back light due to 120 dB true WDR technology * Water and dust resistant (IP67) * Robust structure design with full metal materials. * IR : 80M	IRR	80,860,000
41		DS-2CD2T66G2-4I	High quality imaging with 6 MP resolution Excellent low-light performance with powered-by-DarkFighter technology - Clear imaging against strong backlight due to 120 dB true WDR technology - Efficient H.265+ compression technology - Focus on human and vehicle targets classification based on deep learning - Water and dust resistant (IP67)	IRR	93,180,000
42		DS-2CD2T83G2-4I	8 MP Outdoor WDR Fixed Bullet Network Camera * High qual49ity imaging with 8 MP resolution * Efficient H.265+ compression technology * Clear imaging against strong back light due to 120 dB true WDR technology * Water and dust resistant (IP67) * Robust structure design with full metal materials. * IR : 80M	IRR	93,900,000
43		DS-2CD2T85G1-I8	High quality imaging with 8 MP resolution - Excellent low-light performance via powered-by-DarkFighter technology - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Water and dust resistant (IP67) - Robust structure design with full metal materials	IRR	134,730,000
44	A REAL	DS-2CD2T86G2-4I	High quality imaging with 8 MP resolution Excellent low-light performance with powered-by-DarkFighter technology - Clear imaging against strong backlight due to 120 dB true WDR technology - Efficient H.265+ compression technology - Focus on human and vehicle targets classification based on deep learning - Water and dust resistant (IP67)	IRR	120,150,000
45		HIKLesk DS-2CD2T87G2-LK	4 K ColorVu Fixed Bullet Network Camera - High quality imaging with 8 AMP resolution - Efficient H.265+ compression technology - Clear imaging against strong back light due to 130 dB WDR technology - Focus on human and vehicle classification based on deep learning - 24/7 colorful imaging		ناموجود
	IP DOM	1E			
46	manner	DS-2CD2123G2-IU	High quality imaging with 2 MP resolution Clear imaging against strong backlight due to 120 dB WDR technology - Efficient H_265+ compression technology Focus on human and vehicle targets classification based on deep learning - Water and dust resistant (IP67) and vandal resistant (IK10)	IRR	61,350,000
46		DS-2CD2123G2-IU DS-2CD2125FHWD-I	Clear imaging against strong backlight due to 120 dB WDR technology - Efficient H.265+ compression technology Focus on human and vehicle targets classification based on deep	IRR	61,350,000 68,530,000
			Clear imaging against strong backlight due to 120 dB WDR technology Efficient H.265+ compression technology Focus on human and vehicle targets classification based on deep learning - Water and dust resistant (IPG7) and vandal resistant (IK10) High quality imaging with 2 MP resolution - Excellent low-light performance via powered-by-DarkFighter technology - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - High frame rate video to illustrate smooth movement -5: audio and alarm interface available - Water and dust resistant (IPG7) and vandal proof (IK10) - Robust structure design		
47		DS-2CD2125FHWD-I	Clear imaging against strong backlight due to 120 dB WDR technology - Efficient H.265+ compression technology Focus on human and vehicle targets classification based on deep learning - Water and dust resistant (IP67) and vandal resistant (IK10) High quality imaging with 2 MP resolution - Excellent low-light performance via powered-by-DarkFighter technology - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - High rame rate vide to illustrate smooth movement -S: audio and alarm interface available - Water and dust resistant (IP67) and vandal proof (IK10) - Robust structure design with full metal materials High quality imaging with 2 MP resolution - Excellent low-light performance with powered-by-DarkFighter technology - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Clear available - Water and dust based on deep learning -SU: Built-in microphone for real-time audio security, Audio and alarm interface available - Water and dust resistant	IRR	68,530,000
47		DS-2CD2125FHWD-I DS-2CD2126G2-ISU	Clear imaging against strong backlight due to 120 dB WDR technology - Efficient H.265+ compression technology Focus on human and vehicle targets classification based on deep learning - Water and dust resistant (IP67) and vandal resistant (IK10) High quality imaging with 2 MP resolution - Excellent low-light performance via powered-by-DarkFighter technology - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - High frame rate vide to illustrate smooth movement -S: audio and alarm interface available - Water and dust resistant (IP67) and vandal proof (IK10) - Robust structure design with full metal materials High quality imaging with 2 MP resolution - Excellent low-light performance with powered-by-DarkFighter technology - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Clear imaging against strong back light due to based on deep learning -SU: Built-in microphone for real-time audio security, Audio and alarm interface available - Water and dust resistant (IP67) and vandal resistant (IK10) High quality imaging with 2 MP resolution - Efficient H.265+ compression technology -Clear imaging against strong backlight due to 130 dB WDR - technology - Clear imaging against strong backlight due to 130 dB WDR - technology - Built-in microphone for real-time audio security(-U) - Focus on human and vehicle clargets classification based on deep -learning	IRR	68,530,000 81,540,000

52		DS-2CD2346G2-IU	4 MP AcuSense Fixed Turret Network Camera - High quality imaging with 4 MP resolution - Excellent low-light performance with powered-by- DarkFighter technology - Clear imaging against strong backlight due to 120 dB WDR technology - Efficient H.265+ compression technology - Focus on human and vehicle targets classification based on deep learning - Built-in microphone for real-time audio security(-U) - Water	IRR	75,130,000
53	Na N	DS-2CD2347G2-L	and dust resistant (IP67) High quality imaging with 4 MP resolution - Efficient H.265+ compression technology -Clear imaging against strong backlight due to 130 dB WDR - technology - Built-in microphone for real-time audio security(-U) - Focus on human and vehicle targets classification based on deep -learning 24/7 colorful imaging - Water and dust resistant (IP67)	IRR	78,910,000
54	The second se	DS-2CD2347G2-LU	High quality imaging with 4 MP resolution - Efficient H.265+ compression technology - Clear imaging against strong backlight due to 130 dB WDR - technology - Built-in microphone for real-time audio security(-U) - Focus on human and vehicle targets classification based on deep -learning 24/7 colorful imaging - Water and dust resistant (IP67) - Built-in microphone for real-time audio security(-U)	IRR	89,760,000
55	million	DS-2CD2163G2-IU	MP Outdoor WDR Fixed Dome Network Camera * High quality imaging with 6 MP resolution * Efficient H.265+ compression technology * Clear imaging against strong back light due to 120 dB true WDR technology * U: Built in microphone * Water and dust resistant (IP67) and vandal proof (IK10) * Robust structure design with full metal materials	IRR	70,780,000
56	ana ana	DS-2CD2166G2-I	High quality imaging with 6 MP resolution - Excellent low-light performance with powered-by-DarkFighter technology - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Focus on human and vehicle targets classification based on deep learning - Water and dust resistant (IP67) and vandal resistant (IK10)		ناموجود
57		DS-2CD2183G2-IU	MP Outdoor WDR Fixed Dome Network Camera * High quality imaging with 8 MP resolution * Efficient H.265+ compression technology * Clear imaging against strong back light due to 120 dB true WDR technology * - U: Built in microphone * Water and dust resistant (IP67) and vandal proof (IK10) * Robust structure design with full metal materials	IRR	74,280,000
58	a mar	HIKLook DS-2CD2185FWD-I	High quality imaging with 8 MP resolution - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Water and dust resistant (IP67) and vandal proof (IK10) - Robust structure design with full metal materials.	IRR	108,460,000
59		TE BULLET - Motorized DS-2CD1643G0-IZ	4 MP Varifocal Bullet Network Camera * High quality imaging with 4 MP resolution * Efficient H.265+ compression technology * Clear imaging even with strong back lighting due to 120 dB WDR * Up to 256 GB 5D card slot for storage2.8 to 12 mm motorized varifocal lens for easy * installation and monitoring * Water and dust resistant (IP67) * EXIR 2.0: advanced infrared technology with long IR range	IRR	81,350,000
	IP MOTORIZED	LITE DOME			
60		DS-2CD1743G0-IZ	4 MP Varifocal Dome Network Camera * High quality imaging with 4 MP resolution * Efficient H.265+ compression technology * Clear imaging even with strong back lighting due to 120 dB WDR * Up to 256 GB 5D card slot for storage.28 to 12 mm motorized varifocal lens for easy * installation and monitoring * Water and dust resistant (IP67) * EXIR 2.0: advanced infrared technology with long IR range	IRR	91,340,000
	IP MOTORIZED	BULLET			
61		DS-2CD2625FWD-IZS	High quality imaging with 2 MP resolution - Excellent low-light performance via powered-by-DarkFighter technology - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Water and dust resistant (IP66) and vandal proof (IK10) - Motorized varifocal lens for easy installation and monitoring - Robust structure design with full metal materials		ناموجود

	1				
62		DS-2CD2643G2-IZS	4 MP WDR Motorized Varifocal Bullet Network Camera * High quality imaging with 4 MP resolution * Motorized varifocal lens for easy installation and monitoring * Clear imaging against strong backlight due to 120 dB WDR technology *Efficient H.265+ compression technology Water and dust resistant (IP67) and vandal resistant (IK10) * Focus on human and vehicle targets * classification based on deep learning	IRR	124,710,000
63		DS-2CD2683G2-IZS	High quality imaging with 8 MP resolution - Motorized varifocal lens for easy installation and monitoring - Efficient H.265+ compression technology - Clear imaging against strong backlight due to 120 dB true WDR technology - Focus on human and vehicle targets classification based on deep learning - Audio and alarm interface available - Water and dust resistant (IP67) and vandal-resistant (IK10)	IRR	139,300,000
64		DS-2CD2685FWD-IZS	4K Powered-by-DarkFighter Varifocal Bullet Network Camera - High quality imaging with 8 MP resolution - Excellent low-light performance via powered-by-DarkFighter technology - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Water and dust resistant (IP66) and vandal proof (IK10) - Motorized varifocal lens for easy installation and monitoring - Robust structure design with full metal materials		ناموجود
65		HIKLook D5-2CD2685G1-IZS W	High quality imaging with 8 MP resolution - Excellent low-light performance via powered-by-DarkFighter technology - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Water and dust resistant (IP67) and vandal proof (IK30) - Motorized vari-focal lens for easy installation and monitoring - Robust structure design with full metal materials.		ناموجود
66		DS-2CD2686G2-IZS	4K AcuSense Varifocal Bullet Network Camera - High quality imaging with 8 MP resolution - Motorized varifocal lens for easy installation and monitoring - Excellent low-light performance via powered-by- DarkFighter technology - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Focus on human and vehicle targets classification based on deep learning - Audio and laarm interface available - Water and dust resistant (IP66) and vandal proof (IK10)	IRR	178,370,000
	IP MOTORIZED	DOME			
67	In Itali	DS-2CD2H25FWD-IZS	High quality imaging with 2 MP resolution - Excellent low-light performance via powered-by-DarkFighter technology - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Water and dust resistant (IP66) and vandal proof (IK10) - Motorized varifocal lens for easy installation and monitoring - Robust structure design with full metal materials	IRR	138,870,000
68	ALLER Y	DS-2CD2743G2-IZS	4 MP Vandal Motorized Varifocal Dome Network Camera * High quality imaging with 4 MP resolution *Motorized varifocal lens for easy installation and monitoring * Clear imaging against strong backlight due to 120 dB WDR technology * Efficient H.265+ compression technologyWater and dust resistant (IP67) and vandal proof (IK10) * Focus on human and vehicle targets classification based on deep learning	IRR	149,000,000
69	and the second s	HIKLook DS-2CD2763G1-IZS	High quality imaging with 6 MP resolution - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology -S: audio and alarm interface available - Water and dust resistant (IP67) and vandal proof (IK10) - Motorized varifocal lens for easy installation and monitoring - Robust structure design with full metal materials		ناموجود
70	and the second s	DS-2CD2783G2-IZS	High quality imaging with 8 MP resolution -Motorized varifocal lens for easy installation and monitoring - Efficient H.265+ compression technology - Clear imaging against strong backlight due to 120 dB true WDR technology - Focus on human and vehicle targets classification based on deep learning - Audio and alarm interface available - Water and dust resistant (IP67) and vandal-resistant (IK10)	IRR	137,470,000
71	and the second s	DS-2CD2785G1-IZS	High quality imaging with 8 MP resolution - Excellent low-light performance via powered-by-DarkFighter technology - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Water and dust resistant (IP67) and vandal proof (IK10) - Motorized vari-focal lens for easy installation and monitoring - Robust structure design with full metal materials	IRR	150,320,000
72		DS-2CD2786G2-IZS	High quality imaging with 8 MP resolution - Motorized varifocal lens for easy installation and monitoring - Excellent low-light performance via powered-by-DarkFighter technology - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Focus on human and vehicle targets classification based on deep learning - Audio and alarm interface available - Water and dust resistant (IP66) and vandal proof (IK10)	IRR	195,970,000

	IP CUB	E		
73		DS-2CD2421G0-IW	2MP PIR Cube Network Camera * High quality imaging with 2 MP resolution * Efficient H.265+ compression technology * Provide real- time security via built-in two-way audio * Detect human body through passive infrared which is sensitive to body temperature (PIR)	ناموجود
74		HIKLook DS-2CD2443GO-IW W	4MP PIR Cube Network Camera * High quality imaging with 4 MP resolution * Efficient H.265+ compression technology * Provide real- time security via built-in two-way audio * Detect human body through passive infrared which is sensitive to body temperature (PIR)	IRR 61,130,000
	FISH EY	/E		
75	0	DS-2CD2955FWD-I	5 MP Fisheye Fixed Dome Network Camera * High quality imaging with 5 MP resolution * 180° fisheye viewEfficient H.265+ compression technology * Clear imaging against strong back light due to 120 dB true WDR technology.	ناموجود
76		DS-2CD2955FWD-IS	5 MP Fisheye Fixed Dome Network Camera * High quality imaging with 5 MP resolution * 180° fisheye viewEfficient H.265+ compression technology * Clear imaging against strong back light due to 120 dB true WDR technology. S: SOUND INPUT	ناموجود
	PTZ Spo	eed Dome		
77		DS-2DE4225IW-DE-T5	2MP 25× Network IR Speed Dome - 1/2.8" progressive scan CMOSUp to 1920 × 1080@30fps resolution-Min. illumination: Color: 0.005 Lux @(F1.6, AGC ON) B/W: 0.001 Lux @(F1.6, AGC ON)0 Lux with IR25× optical zoom Focal Length 4.8 mm to 120 mm - 16× digital zoom - WDR, HLC, BLC, 3D DNR, Defog, EIS, Regional Exposure, Regional Focus - Up to 100 m IR distance - 12 VDC & PoE+ (802.3 at, class4) Support H.265+/H.265 video compression - Excellent low-light performance with - powered-by-DarkFighter technology	ناموجود
78		DS-2DE4425IW-DE-T5	 4MP 25× Network IR Speed Dome - 1/2.8" progressive scan CMOSUp to 1920 × 1080@30fps resolution-Min. illumination: Color: 0.005 Lux @(F1.6, AGC ON) B/W: 0.001 Lux @(F1.6, AGC ON)0 Lux with IR25× optical zoom Pocal Length 4.8 mm to 120 mm - 16× digital zoom - WDR, HLC, BLC, 3D DNR, Defog, EIS, Regional Exposure, Regional Focus - Up to 100 m IR distance - 12 VDC & PoE+ (802.3 at, class4) Support H.265+/H.265 video compression - Excellent low-light performance with - powered-by-DarkFighter technology 	IRR 252,150,000
79		DS-2SE4C225MWG-E	TandemVu 4-inch 2 MP 25X Colorful & IR Network Speed Dome - Captures a large area and great details at the same time - High quality imaging with 2 MP resolution - Excellent low-light performance with powered-by-DarkFighter technology and ColorVu technology - Secures an expansive area with 25× optical zoom and 16× digital zoom - Supports WDR, HLC, BLC, 3D DNR, defog, regional exposure, regional focus - Expansive night view with up to 100 m IR distance & 30 m white light - Supports 12V DC& POE+ - Focuses on human and vehicle targets classification based on deep learning	IRR 281,810,000
80		DS-2SE4C425MWG-E	TandemVu 4-Inch 4 MP 25X Colorful & IR Network Speed Dome - Captures a large area and great details at the same time - High quality imaging with 2 MP resolution - Excellent low-light performance with powered by-DarkFighter technology and ColorVU technology - Secures an expansive area with 25× optical zoom and 16× digital zoom - Supports WDR, HLC, BLC, 3D DNR, defog, regional exposure, regional focus - Expansive night view with up to 100 m IR distance & 30 m white light Supports 12V DC & POE+ - Focuses on human and vehicle targets classification based on deep learning	IRR 320,560,000
81	JIN HEAD	DS-2DE7A432IW-AEB (T5)	7-inch 4 MP 32X Powered by DarkFighter IR Network Speed Dome - 1/1.8" progressive scan CMOS - High quality imaging with 4 MP resolution - Excellent low-light performance with powered-by- DarkFighter technology - Audio visual alarm: The white flashing light and audible warning can be triggered by certain events - 32× optical zoom and 16× digital zoom provide close up views over expansive areas - Expansive night view with up to 200 m IR distance - Focuses on human and vehicle targets classification based on deep learning - Face capture: Up to 5 faces captured at the same time	IRR 412,170,000

	NVR					
	NVR - 4	Channel				
82		DS-7104NI-Q1/M	4-ch Mini 1U NVR - H.265+/H.265/H.264+/H.264 video compression - Up to 40 Mbps incoming bandwidth, and 60 Mbps outgoing bandwidth - Up to 4-ch network camera inputs Up to 4-ch 1080p decoding capability - HDMI and VGA simultaneous output	ناموجود		
83		DS-7604NI-K1	4-ch 1U 4K NVR - Up to 4 channel IP cameras can be connected - Supports decoding H.265+/H.265/H.264+/H.264 video formats - Up to 4K high-definition live view, storage and playback - Up to 4-ch @ 1080p decoding capacity - Up to 40 Mbps high incoming bandwidth ensures IP cameras can be connected - Simultaneous HDMI and VGA output of the same video stream - 1 HDD for continuous video recording	IRR 61,560,000		
84	Ĩ	HIKLSok DS-7604NI-K1/4P	4-ch 1U 4K NVR PDE - Up to 4 channel IP cameras can be connected - Supports decoding H.265+/H.265/H.264+/H.264 video formats - Up to 4K high-definition live view, storage and playback - Up to 4-ch @ 1080p decoding capacity - Up to 40 Mbps high incoming bandwidth ensures IP cameras can be connected - Simultaneous HDMI and VGA output of the same video stream - 1 HDD for continuous video recording	IRR 82,740,000		
85	NVR - 8	DS-7108NI-Q1/M	8-ch Mini 1U NVR - H.265+/H.265/H.264+/H.264 video compression - Up to 60 Mbps incoming bandwidth, and 60 Mbps outgoing bandwidth - Up to 8-ch network camera inputs Up to 4-ch 1080p decoding capability - HDMI and VGA simultaneous output	IRR 49,380,000		
86		DS-7608NI-Q1	Up to 8-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity Up to 80 Mbps incoming bandwidth	IRR 59,000,000		
87		DS-7608NI-Q2	Up to 8-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity Up to 80 Mbps incoming bandwidth	ناموجود		
88		DS-7608NI-K1	8-ch 1U 4K NVR - Up to 8-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats - Up to 1-ch @ 8MP or 5-ch @ 1080P decoding capacity - Up to 80 Mbps incoming bandwidth	IRR 68,340,000		
89	U	DS-7608NI-K1/8P	8-ch 1U 8 PoE 4K NVR Up to 8-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity Up to 80 Mbps incoming bandwidth	IRR 126,190,000		
90	-	DS-7608NI-K2	8-ch 1U 4K NVR - Up to 8-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats - Up to 2-ch@8 MP or 4- ch@4 MP or 8-ch@1080p decoding capacity - 1 HDMI and 1 VGA interfaces, both interfaces support independent video outpu - 2 SATA interfaces for HDD connection (up to 10 TB capacity per HDD) - Up to 80 Mbps incoming bandwidth	IRR 71,200,000		
91	NVR - 1	6 Channel DS-7616NI-Q1 HIKLook	16-ch 1U 4K NVR - Up to 16-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats - Up to 1-ch @ 8MP or 5-ch @ 1080P decoding capacity - Up to 160 Mbps incoming bandwidth	ناموجود		
92		DS-7616NI-Q2	16-ch 1U 4K NVR - Up to 16-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats - Up to 1-ch @ 8MP or 5-ch @ 1080P decoding capacity - Up to 160 Mbps incoming bandwidth	IRR 89,810,000		

93		DS-7616NI-Q2/16P	16-ch 1U 16 PoE 4K NVR - Up to 16-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats - Up to 1-ch @ 8MP or 5-ch @ 1080P decoding capacity - Up to 160 Mbps incoming bandwidth	ناموجود
94		DS-7616NI-K1	Up to 16-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch @ 8MP or 5-ch @ 1080P decoding capacity Up to 160 Mbps incoming bandwidth	ناموجود
95	Manager and Para	DS-7616NI-K2	IP video input : 16-ch Up to 8 MP resolution - Decoding format : H.265+/H.265/ H.264+/H.264 - Incoming bandwidth : 160 Mbps - HDMI output : 4K (3840 × 2160)/30Hz - Capacity : 2 SATA interface Up to 6TB capacity for each disk	IRR 82,970,000
96	Martin and Party	DS-7616NI-K2/16P	16-ch 1U 16 PoE 4K NVR - Up to 16-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats - Up to 2-ch@8 MP or 4- ch@4 MP or 8-ch@1080p decoding capacity - 1 HDMI and 1 VGA interfaces, both interfaces support independent video output - 2 SATA interfaces for HDD connection (up to 10 TB capacity per HDD) Up to 160 Mbps incoming bandwidth - Plug-and-play with 16 power over Ethernet (PoE) interfaces	IRR 162,340,000
97	100 att	DS-7716NI-Q4	16-ch 1.5U 4K NVR - Up to 16 channel IP cameras can be connected - Supports decoding H.265+/H.265/H.264+/H.264 video formats - Up to 4K high-definition live view, storage and playback - Up to 4-ch @ 1080p decoding capacity - Up to 160 Mbps high incoming bandwidth ensures IP cameras can be connected - 1 HDMI and 1 VGA interfaces: both interfaces support independent video output - 4 HDDs for continuous video recording	ناموجود
98		DS-7716NI-Q4/16P	16-ch 1.5U 16 PoE 4K NVR - Up to 16 channel IP cameras can be connected - Supports decoding H.265+/H.265/H.264+/H.264 video formats - Up to 4K high-definition live view, storage and playback - Up to 4-ch @ 1080p decoding capacity - Up to 160 Mbps high incoming bandwidth ensures IP cameras can be connected - 1 HDMI and 1 VGA interfaces: both interfaces support independent video output - 4 HDDs for continuous video recording - Plug & Play with 16 Power-over- Ethernet (PoE) interfaces	IRR 255,140,000
99	and a start of the	DS-7716NI-K4	IP video input : 16-ch Up to 8 MP resolution - Decoding format : H.265+/H.265/ H.264+/H.264 - Incoming bandwidth : 160 Mbps - HDMI output : 4K (3840 × 2160)/30Hz - Capacity : 4 SATA interface Up to 6TB capacity for each disk	IRR 211,190,000
	NVR - 3	32 Channel		
100		DS-7732NI-Q4	32-ch 1.5U 4K NVR - Up to 32 channel IP cameras can be connected - Supports decoding H.265+/H.265/H.264+/H.264 video formats - Up to 8- ch @ 1080p decoding capacity - Up to 200 Mbps high incoming bandwidth ensures IP cameras can be connected - 1 HDMI and 1 VGA interfaces: both interfaces support independent video output - 4 HDDs for continuous video recording - Supports various specific function cameras, including thermal camera /fisheye//people counting/heatmap/ANPR (automatic number plate recognition)- Channel-zero function ensures smooth remote live view and playback in low bandwidth environments	ناموجود
101		D5-7732NI-Q4/16P	32-ch 1.5U 16 PoE 4K NVR - Up to 32 channel IP cameras can be connected - Supports decoding H.265+/H.266/H.264+/H.264 video formats - Up to 8-ch @ 1080p decoding capacity - 1 HDMI and 1 VGA- interfaces: both interfaces support independent video output - 4 HDDs for continuous video recording - Plug & Play with 16 Power-over- Ethernet (PoE) interfaces - Supports various specific function cameras, including thermal camera / fisheye/people - counting/heatmap/ANPR (automatic number plate recognition)Channel-zero function ensures smooth remote live view and - playback in low bandwidth environments	ناموجود
102	44500 × 10	HIKLOSK DS-7732NI-K4	32-ch 1.5U 4K NVR - Up to 32 channel IP cameras can be connected - Supports decoding H.265+/H.265/H.264+/H.264 video formats - Up to 8- ch @ 1080p decoding capacity - Up to 256 Mbps high incoming bandwidth ensures IP cameras can be connected - 1 HDMI and 1 VGA interfaces: both interfaces support independent video output - 4 HDDs for continuous video recording - Supports various specific function cameras, - including thermal camera /fisheye/people - counting/heatmap/ANPR (automatic number plate recognition) Channel- zero function ensures smooth remote live view and playback in low bandwidth environments	IRR 210,450,000

			1		
103		DS-7732NI-K4/16P	32-ch 1.5U 16 PoE 4K NVR - Up to 32 channel IP cameras can be connected - Supports decoding H.265+/H.265/H.264+/H.264 video formats - Up to 8-ch @ 1080p decoding capacity - 1 HDMI and 1 VGA interfaces: both interfaces support independent video output - 4 HDDs for continuous video recording - Plug & Play with 16 Power-over- Ethernet (PoE) interfaces - Supports various specific function cameras, including thermal camera /fisheye/people - counting/heatmap/ANPR (automatic number plate recognition) Channel-zero function ensures smooth remote live view and - playback in low bandwidth environments	IRR	334,310,000
104	0 . 51	IDS-7732NXI-14/8S	32-ch 1.5U 4K DeepinMind NVR - H.265+/H.265/H.264+/H.264 video formats - Intelligent analytics based on deep learning algorithm Up to 16-ch perimeter protection - Up to 8-ch facial recognition for video stream, or up to 16-ch facial recognition for face picture - Up to 8- ch video structuralization - Up to 32-ch IP cameras can be connected - Up to 16-ch 1080p decoding capability	IRR	719,160,000
105	1 0.	DS-9632NI-18	Up to 32 channel IP cameras can be connected - Up to 12 MP high- definition live view, storage and playback - Up to 320 Mbps (or 200 Mbps when RAID is enabled) high incoming bandwidth ensures IP cameras can be connected - 2 HDMI (different source) and 2 VGA (different source) interfaces - 8 HDD can be used for continuous video recording - Supports some specialist cameras, including people counting camera/ANPR (automatic number plate recognition) camera/fisheye camera - Advanced streaming technology enables smooth live view in poor network conditions - Supports RAID 0, 1, 5, 6, 10 and N+1 hot spare for even more reliable data storage, effectively avoids data loss risks		ناموجود
106		DS-9632NI-I16	Up to 32 channel IP cameras can be connected - Up to 12 MP high- definition live view, storage and playback - Up to 320 Mbps (or 200 Mbps when RAID is enabled) high incoming bandwidth ensures IP cameras can be connected - 2 HDMI (different source) and 2 VGA (different source) interfaces - 16 HDD can be used for continuous video recording - Supports some specialist cameras, including people counting camera/ANPR (automatic number plate recognition) camera/fisheye camera - Advanced streaming technology enables smooth live view in poor network conditions - Supports RAID 0, 1, 5, 6, 10 and N+1 hot spare for even more reliable data storage, effectively avoids data loss risks		ناموجود
107		DS-9632NXI-18/S	32-ch 2U 4K AcuSense NVR - H. 265+/H.265/H.264+/H.264 video formats - Intelligent analytics based on deep learning algorithm - Up to 4-ch perimeter protection - Up to 1-ch facial recognition for video stream, or up to 4-ch facial recognition for face picture - Up to 32-ch IP camera inputs - Up to 16-ch 1080p decoding capability - Up to 320 Mbps incoming bandwidth	IRR	739,020,000
108		IDS-9632NXI-18/4F	32-ch 2U 4K DeepinMind NVR - H.265+/H.265/H.2664+/H.264 video formats - Up to 32 channel IP cameras can be connected - 8 HDD can be used for continuous video recording - Intelligent analytics based on deep learning algorithm - Up to 16-ch perimeter protection - Up to 8-ch facial recognition for video stream, or up to 16-ch facial recognition for face picture - Up to 4-ch video structuralization - Up to 16-ch 1080p decoding capability	IRR	3,213,890,000
109		DS-9664NI-18	Up to 64 channel IP cameras can be connected - Up to 12 MP high- definition live view, storage and playback - Up to 320 Mbps (or 200 Mbps when RAID is enabled) high incoming bandwidth ensures IP cameras can be connected - 2 HDMI (different source) and 2 VGA (different source) interfaces - 8 HDD can be used for continuous video recording - Supports some specialist cameras, including people counting camera/ANPR (automatic number plate recognition) camera/fisheye camera - Advanced streaming technology enables smooth live view in poor network conditions - Supports RAID 0, 1, 5, 6, 10 and N+1 hot spare for even more reliable data storage, effectively avoids data loss risks		ناموجود
110		DS-9664NXI-I8/S HIKLask	64-ch 2U 4K AcuSense NVR - H.265+/H.265/H.264+/H.264 video formats - Intelligent analytics based on deep learning algorithm - Up to 4-ch perimeter protection - Up to 1-ch facial recognition for video stream, or up to 4-ch facial recognition for face picture - Up to 64-ch IP camera inputs - Up to 16-ch 1080p decoding capability - Up to 320 Mbps incoming bandwidth	IRR	968,630,000

111		DS-9664NI-116	Up to 64 channel IP cameras can be connected - Up to 12 MP high- definition live view, storage and playback - Up to 320 Mbps (or 200 Mbps when RAID is enabled) high incoming bandwidth ensures IP cameras can be connected - 2 HDMI (different source) and 2 VGA (different source) interfaces - 16 HDD can be used for continuous video recording - Supports some specialist cameras, including people counting camera/ANPR (automatic number plate recognition) camera/fisheye camera - Advanced streaming technology enables smooth live view in poor network conditions - Supports RAID 0, 1, 5, 6, 10 and N+1 hot spare for even more reliable data storage, effectively avoids data loss risks	ناموجود
			HD CAMERA	
112		DS-2CE16D0T-ITF	2 MP Fixed Mini Bullet Camera * 2 MP bullet camera * Smart IR: up to 30 m IR distance * Water and dust resistant (IP67) * 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR 13,830,000
113		DS-2CE16D0T-ITPF	2 MP high performance CMOS - 1920 × 1080 resolution - 2.8 mm, 3.6 mm fixed lens - Up to 20 m IR distance - 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) - IP66 weatherproof - True Day/Night, Smart IR	IRR 10,430,000
114		DS-2CE16D0T-ITPFS	2 MP Audio Fixed Mini Bullet Camera - 2 MP coaxial audio camera Enhancing safety with discreet and economical built-in microphone - Transmits audio over the coaxial cable - EXIR 2.0: advanced infrared technology with 25 m IR distance - Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR 16,390,000
115		DS-2CE16D0T-EXIPF	2 MP Fixed Mini Bullet Camera High quality imaging with 2 MP, 1920 × 1080 resolution 2.8 mm, 3.6 mm fixed lens - Up to 20 m IR distance for bright night imaging - One port for four switchable signals (TV/AHD/CVI/CVBS) - Water and dust resistant (IP66)	ناموجود
116		DS-2CE16D0T-EXIF	2 MP Fixed Mini Bullet Camera High quality imaging with 2 MP, 1920 × 1080 resolution 2.8 mm, 3.6 mm fixed lens. Up to 20 m IR distance for bright night imaging - One port for four switchable signals (TVI/AHD/CVI/CVBS) - Water and dust resistant (IP66)	IRR 12,980,000
117		DS-2CE16D0T-ITFS	2 MP Fixed Mini Bullet Camera * 2 MP bullet camera * Smart IR: up to 30 m IR distance * Water and dust resistant (IP67) * 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS) * Built in Mic	IRR 17,620,000
118	I NOT	HIKLesk DS-2CE17D0T-IT1F	2 MP Fixed Bullet Camera - High quality imaging with 5 MP, 2560 × 1944 resolution - 2.4 mm, 2.8 mm, 3.6 mm, 6 mm fixed focal lens - Up to 30 m IR distance for bright night imaging - One port for four switchable signals (TVI/AHD/CVI/CVBS) - Water and dust resistant (IP67)	IRR 18,050,000
119	Nor Mark	DS-2CE17D0T-IT3F	2 MP Fixed Bullet Camera - High quality imaging with 5 MP, 2560 × 1944 resolution - 2.4 mm, 2.8 mm, 3.6 mm, 6 mm fixed focal lens - Up to 40 m IR distance for bright night imaging - One port for four switchable signals (TVI/AHD/CVI/CVBS) - Water and dust resistant (IP67)	IRR 23,160,000
120		DS-2CE16D3T-ITF	2 MP Ultra Low Light Fixed Mini Bullet Camera * 2 MP bullet camera * Strong night performance, capturing images in ultra-low light down to 0.005 lux * Clear imaging even against strong back lighting due to 120 dB true WDR technology * 3D DNR technology delivers clean and sharp images * Smart IR: up to 30 m IR distanc * Water and dust resistant (IP67) * 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR 21,660,000
121		DS-2CE16D3T-IT3F	2 MP Ultra Low Light Fixed Mini Bullet Camera - Strong night performance, capturing images in ultra-low light down to 0.005 lux - Clear imaging even against strong back lighting due to 120 dB true WDR technology - 3D DNR technology delivers clean and sharp images - EXIR 2.0: advanced infrared technology with 30 m IR distance - Water and dust resistant (IP67),4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).	IRR 22,240,000
122		DS-2CE10DFT-F	2 MP ColorVu Fixed Mini Bullet Camera - 2 MP full time color bullet camera, 24/7 full color imaging, Warm supplemental light with 20 m range - Clear imaging even against strong back lighting due to 130 dB true WDR technology - 3D DNR technology delivers clean and sharp images, Water and dust resistant (IP67) - 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	ناموجود

123	ANUGO	DS-2CE10DF0T-F	2 MP ColorVu Fixed Mini Bullet Camera - High quality imaging with 2 MP, 1920 × 1080 resolution - 24/7 color imaging with F1.0 aperture - 3D DNR technology delivers clean and sharp images - 2.8 mm, 3.6 mm, 6 mmfixed focal lens - Up to 20 m white light distance for bright night imaging - One port for four switchable signals (TVI/AHD/CVI/CVBS) - Water and dust resistant (IP67)	IRR	32,130,000
124		DS-2CE10DF3T-FS	High quality imaging with 2 MP, 1920 × 1080 resolution - 24/7 color imaging with F1.0 aperture - Clear imaging against strong back light due to 130 dB true WDR technology - 3D DNR technology delivers clean and sharp images - 2.8 mm, 3.6 mm fixed focal lens - Up to 20 m white light distance for bright night imaging - High quality audio with audio over coaxial cable, built-in mic - One port for four switchable signals (TVI/AHD/CVI/CVBS) - Water and dust resistant (IP67)	IRR	34,070,000
125	ALCON A	HIKLook DS-2CE12DF3T-F	High quality imaging with 2 MP, 1920 × 1080 resolution - 24/7 color imaging with F1.0 aperture - Clear imaging against strong back light due to 130 dB true WDR technology - 30 DNR technology delivers clean and sharp images - 2.8 mm, 3.6 mm, 6 mm fixed focal lens - Up to 40 m white light distance for bright night imaging - One port for four switchable signals (TVI/AHD/CVI/CVBS) - Water and dust resistant (IP67)	IRR	33,470,000
126	COLUMN A	DS-2CE12DF3T-FS	High quality imaging with 2 MP, 1920 × 1080 resolution - 24/7 color imaging with F1.0 aperture - Clear imaging against strong back light due to 130 dB true WDR technology - 3D DNR technology delivers clean and sharp images - 2.8 mm, 3.6 mm, 6 mm fixed focal lens - Up to 40 m white light distance for bright night imaging - One port for four switchable signals (TVI/AHD/CVI/CVBS) - Water and dust resistant (IP67) - High quality audio with audio over coaxial cable, built-in mic	IRR	38,330,000
	TVI 2MP DOME				
127		DS-2CE76D0T-ITPF	2 MP Indoor Fixed Turret Camera * 2 MP turret camera * EXIR 2.0: advanced infrared technology with 20 m IR distance * 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).	IRR	11,250,000
128		DS-2CE76D0T-EXIPF	2 MP Indoor Fixed Turret Camera - High quality imaging with 2 MP, 1920 × 1080 resolution - 2.8 mm, 3.6 mm fixed lens - Up to 20 m IR distance for bright night imaging - One port for four switchable signals (TVI/AHD/CVI/CVBS)	IRR	13,390,000
129		DS-2CE76D0T-ITPFS	2 MP Indoor Fixed Turret Camera * 2 MP turret camera * EXIR 2.0: advanced infrared technology with 20 m IR distance * 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS). Built in mic	IRR	14,840,000
130	All and a second se	HIKLOOK DS-2CE76D0T-ITMF	2 MP Indoor Fixed Turret Camera * 2 MP turret camera * EXIR 2.0: advanced infrared technology with 20 m IR distance * 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS). * Metal Case	IRR	16,440,000
131	ALL OF AL	DS-2CE76D0T-ITMFS	2 MP Indoor Fixed Turret Camera * 2 MP turret camera * EXIR 2.0: advanced infrared technology with 20 m IR distance * 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS). * Built in mic * Metal Case	IRR	18,810,000
132	avera v	DS-2CE78D0T-IT3FS	2 MP coaxial audio camera - Enhancing safety with discreet and economical built-in microphone - Transmits audio over the coaxial cable - EXIR 2.0: advanced infrared technology with 40 m IR distance - Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR	23,840,000
133		DS-2CE76D3T-ITPF	2 MP Ultra Low Light Indoor Fixed Turret Camera * 2 MP turret camera * Strong night performance, capturing images in ultra-low light down to 0.005 lux * Clear imaging even against strong back lighting due to 120 dB true WDR technology * 3D DNR technology delivers clean and sharp images * EXIR 2.0: advanced infrared technology with 30 m IR distance * 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).	IRR	17,420,000

134	6	DS-2CE76D3T-ITMF	2 MP turret camera - Strong night performance, capturing images in ultra-low light down to 0.005 lux - Clear imaging even against strong back lighting due to 120 dB ruw WDR technology - 3D DNR technology delivers clean and sharp images - EXIR 2.0: advanced infrared technology with 30 m IR distance - Water and dust resistant (IP67) - 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR	23,840,000
135	arour	DS-2CE70DF3T-PF	High quality imaging with 2 MP, 1920 × 1080 resolution - 24/7 color imaging with F1.0 aperture - Clear imaging against strong back light due to 130 dB true WDR technology - 3D DNR technology delivers clean and sharp images - 2.8 mm, 3 6 mm, 6 mm fixed focal lens - U to 20 m white light distance for bright night imaging - One port for four switchable signals (TVI/AHD/CVI/CVBS)	IRR	26,980,000
136		DS-2CE72DFT-FC	2 MP full time color turret camera - 24/7 full color imaging Warm supplemental light with 20 m range - Clear imaging even against strong back lighting due to 120 dB true WDR technology - 3D DNR technology delivers clean and sharp images - Water and dust resistant (IP67) - 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)		ناموجود
137	w.LODV	HIKLOOK DS-2CE72DF3T-F	2 MP ColorVu Fixed Turret Camera - High quality imaging with 2 MP, 1920 × 1080 resolution,24/7 color imaging with F1.0 - aperture - Clear Imaging against strong back light due to 130 d8 frue WDR - 30 DNR technology delivers clean and sharp images,2.8 mm, 3.6 mm, 6 mm fixed focal lens,Up to 40 m white light distance for bright night imaging,One port for four switchable signals (TVI/AHD/CVI/CVBS - Water and dust resistant (IP67)	IRR	25,410,000
	TVI 2MP VARIFOO	CAL BULLET & DOME			
138		DS-2CE16D0T-VFIR3F	2 MP Manual Varifocal Bullet Camera * 2 MP varifocal bullet camera * 2.8 mm to 12 mm varifocal lens * Up to 40 m IR distance for bright night imaging * Water and dust resistant (IP66) * One port for four switchable signals (TVI/AHD/CVI/CVBS)	IRR	32,240,000
139	0	DS-2CE56D0T-VFIR3F	2 MP Manual Varifocal Dome Camera * 2 MP varifocal Dome camera * 2.8 mm to 12 mm varifocal lens * Up to 40 m IR distance for bright night imaging * Water and dust resistant (IP66) * One port for four switchable signals (TVI/AHD/CVI/CVBS)	IRR	32,240,000
	TVI 5MP BU	LLET			
140		DS-2CE16H0T-ITF	5 MP Audio Fixed Mini Bullet Camera * 5 MP coaxial audio camera * Enhanced safety with discreet and economical * Transmit audio over coaxial cable * EXIR 2.0: advanced infrared technology with 30 m IR distance *Water and dust resistant (IP67) * 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR	19,470,000
141		DS-2CE16H0T-ITPF	5 MP, 2560 × 1944 resolution - Digital WDR - 2.8 mm, 3.6 mm, 6 mm fixed focal lens - Smart IR, up to 25 m IR distance - Audio over coaxial cable - 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) IP67		ناموجود
142	arer 2	DS-2CE16H0T-ITPFS	5 MP, 2560 × 1944 resolution - Digital WDR - 2.8 mm, 3.6 mm, 6 mm fixed focal lens - Smart IR, up to 25 m IR distance - Audio over coaxial cable, built-in mic - 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) IP67	IRR	20,770,000
143		DS-2CE16H0T-ITFS	5 MP Audio Fixed Mini Bullet Camera * 5 MP coaxial audio camera * Enhanced safety with discreet and economical built-in microphone * Transmit audio over coaxial cable * EXIR 2.0: advanced infrared technology with 30 m IR distance *Water and dust resistant (IP67) * 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR	23,050,000
144		DS-2CE17H0T-IT1F	5 MP Fixed Bullet Camera High quality imaging with 5 MP, 2560 x 1944 resolution 2.4 mm, 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 30 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)	IRR	23,230,000

145	are A	DS-2CE17H0T-IT3F	5 MP Fixed Bullet Camera High quality imaging with 5 MP, 2560 × 1944 resolution 2.4 mm, 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 50 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)	IRR	23,300,000
146		DS-2CE17H0T-IT3FS	5 MP Fixed Bullet Camera - High quality imaging with 5 MP, 2560 × 1944 resolution - 2.8 mm, 3.6 mm, 6 mm fixed focal lens - Up to 40 m IR distance for bright night imaging - One port for four switchable signals (TVI/AHD/CVI/CVB5) - Water and dust resistant (IP67) - High quality audio with audio over coaxial cable, built-in mic	IRR	29,790,000
147		DS-2CE17H0T-IT5F	5 MP Fixed Bullet Camera High quality imaging with 5 MP, 2560 × 1944 resolution 3.6 mm, 6 mm, 8 mm, 12 mm fixed focal lens Up to 80 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)	IRR	25,831,800
148	ALION ;	DS-2CE10HFT-F (3.6mm)	5 MP full time color bullet camera - 24/7 full color imaging 2.8 mm fixed focal lens - Warm supplemental light with 20 m range - Clear imaging even against strong back lighting due to 130 dB true WDR technology - 3D DNR technology delivers clean and sharp images - Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR	34,810,000
149		DS-2CE12HFT-F (3.6mm)	5 MP full time color bullet camera - 24/7 full color imaging 2.8 mm fixed focal lens - Warm supplemental light with 40 m range - Clear imaging even against strong back lighting due to 130 dB true WDR technology - 3D DNR technology delivers clean and sharp images - Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR	40,160,000
	TVI 5MP DO	ME			
150		DS-2CE76H0T-ITMF (2.8mm)	5 MP Fixed Turret Camera *5 MP turret camera*EXIR 2.0: advanced infrared technology with 30 m IR distance*Water and dust resistant (IP67)*4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR	21,440,000
151		DS-2CE76H0T-ITMFS (2.8mm)	5 MP Fixed Turret Camera *5 MP turret camera *EXIR 2.0: advanced infrared technology with 30 m IR distance*Water and dust resistant (IP67)*4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS) - built-in microphone	IRR	24,290,000
152		DS-2CE76H0T-ITPF	5 MP Indoor Fixed Turret Camera 5 MP turret camera EXIR 2.0: advanced infrared technology with 20 m IR distance 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR	16,300,000
153	arman,	DS-2CE76H0T-ITPFS	5 MP coaxial audio camera Enhanced safety with discreet and economical built-in microphone Transmit audio over coaxial cable EXIR 2.0: advanced infrared technology with 20 m IR distance 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR	20,280,000
154	anzan	DS-2CE78H0T-IT1F (2.4mm)	5 MP Fixed Turret Camera *5 MP turret camera*EXIR 2.0: advanced infrared technology with 30 m IR distance*Water and dust resistant (IP67)*4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR	23,860,000
155	array.	DS-2CE78H0T-IT3F	5 MP Fixed Turret Camera *5 MP turret camera *EXIR 2.0: advanced infrared technology with 40 m IR distance*Water and dust resistant (IP67)*4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR	25,790,000
156		DS-2CE72HFT-F28 (2.8mm)	5 MP full time color turret camera - 24/7 full color imaging 2.8 mm fixed focal lens - Warm supplemental light with 20 m range - Clear imaging even against strong back lighting due to 130 dB true WDR technology - 3D DNR technology delivers clean and sharp images - Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR	38,370,000

	TVI 5MP VF &N	IOTORIZED DOME						
157		DS-2CE56H0T-IT32F	5 MP Motorized Varifocal Turret Camera*5 MP turret camera*2.7 mm to 13.5 mm motorized varifocal lens*Up to 40 m IR distance for bright night imaging*Water and dust resistant (IP67)*One port for four switchable signals (TVI/AHD/CVI/CVBS)	ناموجود				
158		DS-2CE12KF0T-FS	 3K ColorVu Audio Fixed Bullet Camera - High quality imaging with 3K, 2960 × 1665 resolution - 24/7 color imaging with F1.0 aperture - 2.8 mm, 3.6 mm, 6 mm fixed focal lens - Up to 40 m white light distance for bright night imaging - One port for four switchable signals (TVI/AHD/CVI/CVBS) - Water and dust resistant (IP67) - High quality audio with audio over coaxial cable, built-in mic 	IRR 40,260,000				
	TVI 6MP DO	ME						
159	anoov	DS-2CE72KF0T-FS	3K Color/Vu Audio Fixed Turret Camera - High quality imaging with 3K, 2960 × 1665 resolution - 24/7 color imaging with F1.0 aperture - 2.8 mm and 3.6 mm fixed focal lens - Up to 40 m white light distance for bright night imaging - One port for four switchable signals (TVI/AHD/CVI/CVBS) - Water and dust resistant (IP67) - High quality audio with audio over coaxial cable, built-in mic	IRR 37,400,000				
	TVI 8MP BU	LLET						
160	B	DS-2CE18U8T-IT3	4K Fixed Bullet Camera - 8 MP high performance bullet camera Strong night performance, capturing images in ultra-low light down to 0.003 lux - Clear imaging even against strong back lighting due to 120 dB true WDR technology - 3D DNR technology delivers clean and sharp images - EXIR 2.0: advanced infrared technology with 60 m IR distance Water and dust resistant (IP67) - Dual outputs (HDTVI and CVBS signals output simultaneously)	ناموجود				
	TVI 8MP DOME							
161	-	DS-2CE78U8T-IT3	4K Fixed Dome Camera - 8 MP high performance Dome camera - Strong night performance, capturing images in ultra-low light down to 0.003 lux - Clear imaging even against strong back lighting due to 120 dB true WDR technology - 3D DNR technology delivers clean and sharp images - EXIR 2.0: advanced infrared technology with 60 m IR distance - Water and dust resistant (IP67) - Dual outputs (IPDTVI and CVBS signals output simultaneously)	IRR 63,870,000				
Turbo HD PTZ Camera								
162		DS-2AE4225TI-D	High quality imaging with 2 MP resolution - Excellent low-light performance via powered-by-DarkFighter technology - Clear imaging against strong back lighting due to 120 dB WDR technology - Pan and tilt ability enables camera to monitor zones of interest - 25 × optical zoom allows for closer viewing of subjects in expansive areas - Up to 100 m IR range ensures safety at night - Water and dust resistant (IP66)	IRR 180,520,000				
	DVR							
	DVR-4	Channel						
163	1 ml	DS-7204HQHI-K1	4-ch 1080p 1U H.265 DVR - 4 channels and 1 HDD 1U DVR Efficient H.265 pro+ compression technology - Encoding ability up to 1080p @ 15 fps - 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) - Up to 6 network cameras can be connected - Transmits both HDTVI video and power over the same coaxial cable;	ناموجود				
164	- I mail	HIKLook IDS-7204HQHI-M1/S	4-ch 1080p 1U H.265 AcuSense DVR - 4 channels and 1 HDD 1U AcuSense DVR - False alarm reduction through human and vehicle target classification based on deep learning - Efficient H.265 pro+ compression technology - Encoding ability up to 1080p @ 15 fps - 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) - Up to 6 network cameras can be connected.	IRR 46,520,000				
165	1 mm 1	DS-7204HUHI-K1	4-ch 5 MP 1U H.265 DVR - 4 channels and 1 HDD 1U DVR Efficient H.265 prot-compression technology Encoding ability up to 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 8 network cameras can be connected Transmits both HDTVI video	ناموجود				

166	and a second sec	DS-7204HUHI-K1/P	4-ch 5 MP 1U H.265 PoC DVR - 4 channels and 1 HDD 1U DVR Efficient H.265 prot-compression technology Encoding ability up to 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 8 network cameras can be connected Transmits both HDTVI video and power over the same coaxial cable	IRR	67,470,000
167	1 mm 1	IDS-7204HUHI-M1/S	4 channels and 1 HDD 1U AcuSense DVR False alarm reduction by human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 8 MP lite @ 15 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 8 network cameras can be connected.	IRR	74,720,000
	DVR - 8	Channel			
168	- Lun I	DS-7208HQHI-K1	8-ch 1080p 1U H.265 DVR - 8 channels and 1 HDD 1U DVR Efficient H.265 pro+ compression technology - Encoding ability up to 1080p @ 15 fps - 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) - Up to 12 network cameras can be connected - Transmits both HDTVI video and power over the same coaxial cable;		ناموجود
169	and I	IDS-7208HQHI-M1/S	8-ch 1080p 1U H.265 AcuSense DVR - 8 channels and 1 HDD 1U AcuSense DVR - False alarm reduction through human and vehicle target classification based on deep learning - Efficient H.265 pro+ compression technology - Encoding ability up to 1080p @ 15 fps - 5 signals input adaptively - (HDTVI/AHD/CVI/CVBS/IP) - Up to 12 network cameras can be connected	IRR	71,290,000
170	and I	DS-7208HUHI-K1	8-ch 5 MP 1U H.265 DVR - 8 channels and 1 HDD 1U DVR Efficient H.265 pro+ compression technology - Encoding ability up to 5 MP @ 12 fps - 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) - Up to 16 network cameras can be connected - Transmits both HDTVI video		ناموجود
171	Imi	IDS-7208HUHI-M1/S	8 channels and 1 HDD 1U AcuSense DVR - False alarm reduction by human and vehicle target classification based on deep learning - Efficient H.265 pro+ compression technology - Encoding abilty up to 8 MP @ 8 fps, 5 MP @ 12 fps - 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) - Up to 16 network cameras can be connected	IRR	120,610,000
172	1 Mail	DS-7208HUHI-K2/P	8-ch 5 MP 1U H.265 PoC DVR - 8 channels and 2 HDD 1U DVR Efficient H.265 pro+ compression technology - Encoding ability up to 5 MP @ 12 fps - 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) - Up to 16 network cameras can be connected - Transmits both HDTVI video and power over the same coaxial cable		ناموجود
	DVR - 1	.6 Channel			
173		DS-7216HGHI-K1	16-ch 1080p Lite 1U H.265 DVR - 16 channels and 1 HDD 1U DVR - Efficient H.265 pro+ compression technology - Encoding ability up to 1080p lite @ 15 fps - 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) - Up to 18 network cameras can be connected.	IRR	72,270,000
174		DS-7116HQHI-K1	16 channels and 1 HDD mini size DVR - Efficient H.265 pro+ compression technology - Encoding ability up to 1080p @ 15 fps - 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) - Up to 24 network cameras can be connected		ناموجود
175	1 Lum 1	DS-7216HQHI-K1	16-ch 1080p 1U H.265 DVR - 16 channels and 1 HDD 1U DVR - Efficient H.265 pro+ compression technology - Encoding ability up to 1080p @ 15 fps - 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) - Up to 24 network cameras can be connected - Transmits both HDTVI video and power over the same coaxial cable;	IRR	121,800,000

178	Jan J	DS-7216HUHI-K2	 H.265 pro+ compression technology - Encoding ability up to 5 MP @ 12 fps - 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) - Up to 32 network cameras can be connected - Transmits both HDTVI video 16-ch 5 MP 1U H.265 AcuSense DVR - Deep learning-based motion detection 2.0 for all analog channels - Deep learning-based perimeter protection - Efficient H.265 pro+ compression technology - Encoding ability up to 8 MP @ 8 165, 5 MP @ 12 fps - 5 signals input adaptively 	IRR	ناموجود 224,090,000
179	DVR - 3	IDS-7216HUHI-M2/S 2 Channel	protection - Efficient H.265 pro+ compression technology - Encoding abilty up to 8 MP @ 8 fps, 5 MP @ 12 fps - 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) - Up to 32 network cameras can be connected	IRK	224,090,000
180		DS-7232HQHI-K2	32-ch 1080p 2U H.265 DVR - 32 channels and 2 HDD 2U DVR - Efficient H.265 pro- compression technology - Encoding ability up to 1080p @ 15 fps - 5 signals input adaptively (HDTV//AHD/CV//CVBS/IP) - Up to 24 network cameras can be connected - Transmits both HDTVI video and power over the same coaxial cable;	IRR	267,320,000
181	1340 	ids-7232HQHI-M2/S	32-ch 1080p 1U H.265 AcuSense DVR - Deep learning-based motion detection 2.0 for all analog channels - Deep learning-based perimeter protection - Efficient H.265 pro+ compression technology - Encoding ability up to 1080p @ 15 fps - 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) - Up to 40 network cameras can be connected	IRR	248,310,000
	HIK-LOOK.COM 02162999185				
HIK-LOOK.COM 02162999185 تهران - خیابان آزادی - نرسیده به میدان انقلاب - رویروی ایستگاه دکتر قریب - ساختمان کاوه - بلوک C - طبقه دوم - واحد 128					