


## گاراتتی ماد طلائی








### IP CAMERA


1		<b>DS-2CD1021G0E-I/ECO</b>	High quality imaging with 2 MP resolution Efficient H.264 compression technology Clear imaging against strong back light due to DWDR technology Water and dust resistant (IP67) EXIR 2.0: advanced infrared technology with long IR range	IRR 25,960,000
2		<b>DS-2CD1321G0E-I/ECO</b>	High image quality with 1080p resolution and 1/2.8 inch CMOS image sensor. Support various network protocols such as HTTP, HTTPS, TCP/IP, ARP, RTSP, RTP, UDP, SMTP, FTP, DHCP, DNS, DDNS, PPPoE, IPv4/v6, QoS, UPnP, NTP, Bonjour, 802.1x, Multicast, ICMP, IGMP, SNMP and ONVIF	IRR 33,210,000
3		<b>DS-2CD1327G2-L</b>	High quality imaging with 2 MP resolution 24/7 colorful imaging Support Human and Vehicle Detection Water and dust resistant (IP67) Efficient H.265+ compression technology	IRR 73,680,000
4		<b>DS-2CD1347G2-L</b>	High quality imaging with 4 MP resolution 24/7 colorful imaging Support Human and Vehicle Detection Water and dust resistant (IP67) Clear imaging even with strong back lighting due to 120 dB WDR Efficient H.265+ compression technology	IRR 87,440,000
5		<b>DS-2CD1323G0-IUF</b>	2 MP Fixed Turret Network Camera * High quality imaging with 2 MP resolution * Efficient H.265+ compression technology * Clear imaging against strong back light due to DWDR technology * Water and dust resistant (IP67) * EXIR 2.0: advanced infrared technology with long IR range - Support up to 256 GB SD card storage	IRR 50,840,000
6		<b>DS-2CD2023G2-I</b>	2 MP Outdoor WDR Fixed Bullet Network * Camera High quality imaging with 4 MP resolution * Efficient H.265+ compression technology * Clear imaging against strong back light due to 120 dB true WDR technology * Water and dust resistant (IP67) * Robust structure design with full metal materials.	IRR 92,730,000
7		<b>DS-2CD2043G2-IU</b>	High quality imaging with 4 MP resolution - Clear imaging against strong backlight due to 120 dB WDR technology - Efficient H.265+ compression technology -U: Built-in microphone for real-time audio security - Water and dust resistant (IP67) - Focus on human and vehicle targets classification based on deep learning	IRR 127,990,000
8		<b>DS-2CD2087G2-LU</b>	High quality imaging with 8 MP resolution - Efficient H.265+ compression technology - Clear imaging against strong back light due to 130 dB WDR technology - Focus on human and vehicle classification based on deep learning - 24/7 colorful imaging - Built-in microphone for real-time audio security (-U)	IRR 246,960,000
9		<b>DS-2CD3T43G0-2I</b>	1/3" Progressive Scan CMOS 2688 × 1520 @30fps 2.8/4/6/8 mm fixed lens - Color: 0.01 Lux @ (F1.2, AGC ON), 0.018 Lux @ (F1.6, AGC ON), 0 Lux with IR H.265+, H.265, H.264+, H.264	IRR 198,440,000

10		<b>DS-2CD3T86G2-4IS</b>	High quality imaging with 8 MP resolution Excellent low-light performance with powered-by-DarkFighter technology - Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology - Focus on human and vehicle targets classification based on deep learning Water and dust resistant (IP67)	<b>IRR 228,930,000</b>
11		<b>DS-2CD2T43G2-2I (2.8mm)</b>	4 MP Outdoor WDR Fixed Bullet Network Camera * High quality imaging with 4 MP resolution * Efficient H.265+ compression technology * Clear imaging against strong back light due to 120 dB true WDR technology * Water and dust resistant (IP67) * Robust structure design with full metal materials. * IR : 60M	<b>IRR 107,410,000</b>
12		<b>DS-2CD2T43G2-4I</b>	High quality imaging with 4 MP resolution - Clear imaging against strong backlight due to 120 dB WDR technology - Efficient H.265+ compression technology - Water and dust resistant (IP67). -4I: up to 80 m - Focus on human and vehicle targets classification based on deep learning-- 2.8mm	<b>IRR 115,860,000</b>
13		<b>DS-2CD2T63G2-4I</b>	6 MP Outdoor WDR Fixed Bullet Network Camera * High quality imaging with 6 MP resolution * Efficient H.265+ compression technology * Clear imaging against strong back light due to 120 dB true WDR technology * Water and dust resistant (IP67) * Robust structure design with full metal materials. * IR : 80M	<b>IRR 111,640,000</b>
14		<b>DS-2CD2T66G2-4I</b>	High quality imaging with 6 MP resolution Excellent low-light performance with powered-by-DarkFighter technology - Clear imaging against strong backlight due to 120 dB true WDR technology - Efficient H.265+ compression technology - Focus on human and vehicle targets classification based on deep learning - Water and dust resistant (IP67)	<b>IRR 161,150,000</b>
15		<b>DS-2CD2T27G2-L</b>	High quality imaging with 2 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB WDR technology - 24/7 colorful imaging Focus on human and vehicle classification based on deep learning Water and dust resistant (IP67)	<b>IRR 96,180,000</b>
16		<b>DS-2CD2T83G2-4I</b>	8 MP Outdoor WDR Fixed Bullet Network Camera * High quality imaging with 8 MP resolution * Efficient H.265+ compression technology * Clear imaging against strong back light due to 120 dB true WDR technology * Water and dust resistant (IP67) * Robust structure design with full metal materials. * IR : 80M	<b>IRR 141,980,000</b>
17		<b>DS-2CD2T86G2-4I</b>	High quality imaging with 8 MP resolution Excellent low-light performance with powered-by-DarkFighter technology - Clear imaging against strong backlight due to 120 dB true WDR technology - Efficient H.265+ compression technology - Focus on human and vehicle targets classification based on deep learning - Water and dust resistant (IP67)	<b>IRR 186,080,000</b>
18		<b>DS-2CD2T87G2-LK</b>	4 K ColorVu Fixed Bullet Network Camera - High quality imaging with 8 MP resolution - Efficient H.265+ compression technology - Clear imaging against strong back light due to 130 dB WDR technology - Focus on human and vehicle classification based on deep learning - 24/7 colorful imaging	<b>IRR 208,140,000</b>
19		<b>DS-2CD2066G2-IU</b>	High quality imaging with 6 MP resolution Excellent low-light performance with powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Focus on human and vehicle targets classification based on deep learning Built-in microphone for real-time audio security Water and dust resistant (IP67)	<b>IRR 175,290,000</b>






20		<b>DS-2CD2046G2-IU</b>	<p>High quality imaging with 4 MP resolution Excellent low-light performance with powered-by-DarkFighter technology Clear imaging against strong backlight due to 120 dB true WDR technology Efficient H.265+ compression technology Focus on human and vehicle targets classification based on deep learning Built-in microphone for real-time auto security</p>	<b>IRR 137,340,000</b>
21		<b>DS-2CD2086G2-IU</b>	<p>High quality imaging with 8 MP resolution Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Focus on human and vehicle targets classification based on deep learning Built-in microphone for real-time audio security Water and dust resistant (IP67)</p>	<b>IRR 191,200,000</b>
22		<b>DS-2CD2047G2-LU</b>	<p>High quality imaging with 4 MP resolution Efficient H.265+ compression technology Clear imaging against strong backlight due to 130 dB WDR technology Built-in microphone for real-time audio security Focus on human and vehicle targets classification based on deep learning 24/7 colorful imaging Water and dust resistant (IP67)</p>	<b>IRR 133,410,000</b>
23		<b>DS-2CD2087G2-L</b>	<p>High quality imaging with 8 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to 130 dB WDR technology Focus on human and vehicle classification based on deep learning 24/7 colorful imaging</p>	<b>IRR 234,050,000</b>
24		<b>DS-2CD2143G2-IU</b>	<p>4 MP Outdoor WDR Fixed Dome Network Camera * High quality imaging with 4 MP resolution * Efficient H.265+ compression technology * Clear imaging against strong back light due to 120 dB true WDR technology * -U: Built in microphone * Water and dust resistant (IP67) and vandal proof (IK10) * Robust structure design with full metal materials</p>	<b>IRR 96,200,000</b>
25		<b>DS-2CD2347G2-L</b>	<p>High quality imaging with 4 MP resolution - Efficient H.265+ compression technology - Clear imaging against strong backlight due to 130 dB WDR - technology - Focus on human and vehicle targets classification based on deep -learning 24/7 colorful imaging - Water and dust resistant (IP67)</p>	<b>IRR 96,170,000</b>
26		<b>DS-2CD2343G2-IU</b>	<p>High quality imaging with 4 MP resolution Clear imaging against strong backlight due to 120 dB WDR technology Efficient H.265+ compression technology Built-in microphone for real-time audio security Water and dust resistant (IP67) Focus on human and vehicle targets classification based on deep learning</p>	<b>IRR 101,610,000</b>
27		<b>DS-2CD2387G2-L</b>	<p>High quality imaging with 8 MP resolution Efficient H.265+ compression technology Clear imaging against strong backlight due to 130 dB WDR technology Focus on human and vehicle targets classification based on deep learning 24/7 colorful imaging Water and dust resistant (IP67)</p>	<b>IRR 256,080,000</b>
28		<b>DS-2CD1143G2-LIU</b>	<p>High quality imaging with 4 MP resolution Support Human and Vehicle Detection Smart Hybrid Light: advanced technology with long range Built-in microphone for real-time audio security Efficient H.265+ compression technology Support on-board storage up to 512 GB (SD card slot) (Optional) Water and dust resistant (IP67) and vandal resistant (IK08)</p>	<b>IRR 71,000,000</b>

29		<b>DS-2CD1123G2-LIU</b>	<p>High quality imaging with 2 MP resolution  Support Human and Vehicle Detection  Smart Hybrid Light: advanced technology with long range  Built-in microphone for real-time audio security  Efficient H.265+ compression technology  Support on-board storage up to 512 GB (SD card slot) (Optional)  Water and dust resistant (IP67) and vandal resistant (IK08)</p>	<b>IRR 47,140,000</b>
30		<b>DS-2CD2163G2-IU</b>	<p>MP Outdoor WDR Fixed Dome Network Camera * High quality imaging with 6 MP resolution * Efficient H.265+ compression technology * Clear imaging against strong back light due to 120 dB true WDR technology * - U: Built in microphone * Water and dust resistant (IP67) and vandal proof (IK10) * Robust structure design with full metal materials</p>	<b>IRR 110,440,000</b>
31		<b>DS-2CD2121G0-I</b>	<p>High quality imaging with 2 MP resolution  Efficient H.265+ compression technology  Clear imaging against strong back light due to 120 dB true WDR technology  Water and dust resistant (IP67) and vandal proof (IK10)  Support up to 256 GB SD card storage</p>	<b>IRR 68,110,000</b>
32		<b>DS-2CD2123G2-I</b>	<p>High quality imaging with 2 MP resolution  Clear imaging against strong backlight due to 120 dB WDR technology  Efficient H.265+ compression technology  Focus on human and vehicle targets classification based on deep learning  -S: audio and alarm interface available  Water and dust resistant (IP67) and vandal resistant (IK10)</p>	<b>IRR 88,260,000</b>
33		<b>DS-2CD2146G2-ISU</b>	<p>High quality imaging with 4 MP resolution  Excellent low-light performance with powered-by-DarkFighter technology  Clear imaging against strong backlight due to 120 dB true WDR technology  Efficient H.265+ compression technology  Focus on human and vehicle targets classification based on deep learning  Built-in microphone for real-time auto security  Water and dust resistant (IP67) and vandal-resistant (IK10)</p>	<b>IRR 137,340,000</b>
34		<b>DS-2CD3143G2-ISU</b>	<p>High quality imaging with 4 MP resolution  Efficient H.265+ compression technology  Clear imaging against strong back light due to 120 dB true WDR technology  Focus on human and vehicle classification based on deep learning  Built-in microphone for real-time audio security- Audio and alarm interface available  Water and dust resistant (IP67) and vandal-resistant (IK10)</p>	<b>IRR 178,630,000</b>
35		<b>DS-2CD2721G0-IZS</b>	<p>High quality imaging with 2 MP resolution  Efficient H.265+ compression technology  Clear imaging against strong back light due to 120 dB true WDR technology  motorized varifocal lens for easy installation and monitoring  audio and alarm interface available  Water and dust resistant (IP67) and vandal proof (IK10)  Robust structure design with full metal materials</p>	<b>IRR 115,190,000</b>
36		<b>DS-2CD2766G2-IZS</b>	<p>High quality imaging with 6 MP resolution  Motorized varifocal lens for easy installation and monitoring  Excellent low-light performance with powered-by-DarkFighter technology  Efficient H.265+ compression technology  Clear imaging against strong back light due to 120 dB true WDR technology  Focus on human and vehicle targets classification based on deep learning  Audio and alarm interface available  Water and dust resistant (IP66) and vandal proof (IK10)</p>	<b>IRR 237,610,000</b>

37		<b>DS-2CD3725G0-IZSUHK</b>	<p>High quality imaging with 2 MP resolution            Excellent low-light performance via powered-by-DarkFighter technology            Efficient H.265+ compression technology to save bandwidth and storage            Clear imaging even against strong back light thanks to 120 dB true WDR technology            Water and dust resistant (IP66) and vandal proof (IK10).</p>	<b>IRR 253,080,000</b>
38		<b>DS-2CD5126G0-IZSUHK</b>	<p>High quality imaging with 2 MP resolution            Excellent low-light performance via DarkFighter technology            Clear imaging against strong back light due to LightFighter technology            Efficient H.265+ compression technology to save bandwidth and storage            Vandal proof (IK10).</p>	<b>IRR 379,170,000</b>
39		<b>DS-2CD3743G2-IZS</b>	<p>High quality imaging with 4 MP resolution            Motorized varifocal lens for easy installation and monitoring            Efficient H.265+ compression technology            Clear imaging against strong backlight due to 120 dB true WDR technology            Focus on human and vehicle targets classification based on deep learning            Audio and alarm interface available            Water and dust resistant (IP67) and vandal-resistant (IK10)</p>	<b>IRR 283,800,000</b>
40		<b>DS-2CD1643G0-IZ</b>	<p>4 MP Varifocal Bullet Network Camera * High quality imaging with 4 MP resolution * Efficient H.265+ compression technology * Clear imaging even with strong back lighting due to 120 dB WDR * Up to 256 GB SD card slot for storage 2.8 to 12 mm motorized varifocal lens for easy * installation and monitoring * Water and dust resistant (IP67) * EXIR 2.0: advanced infrared technology with long IR range</p>	<b>IRR 126,650,000</b>
41		<b>DS-2CD2663G2-IZS</b>	<p>High quality imaging with 6 MP resolution            Motorized varifocal lens for easy installation and monitoring            Efficient H.265+ compression technology            Clear imaging against strong backlight due to 120 dB true WDR technology            Focus on human and vehicle targets classification based on deep learning            Audio and alarm interface available            Water and dust resistant (IP67) and vandal-resistant (IK10)</p>	<b>IRR 198,000,000</b>
42		<b>DS-2CD3645G0-IZSUHK</b>	<p>High quality imaging with 4 MP resolution            Excellent low-light performance via powered-by-DarkFighter technology            Efficient H.265+ compression technology to save bandwidth and storage            Clear imaging even against strong back light thanks to 120 dB true WDR technology            Water and dust resistant (IP67) and vandal proof (IK10).</p>	<b>IRR 241,520,000</b>
43		<b>DS-2CD3623G2-IZSUHK</b>	<p>High quality imaging with 2 MP resolution            Motorized varifocal lens for easy installation and monitoring            Efficient H.265+ compression technology            Clear imaging against strong backlight due to 120 dB true WDR technology - Focus on human and vehicle targets classification based on deep learning - Audio and alarm interface available            Water and dust resistant (IP67) and vandal-resistant (IK10)            Junction box included in the package</p>	<b>IRR 237,830,000</b>










44		<b>DS-2CD2646G2-IZS</b>	<p>High quality imaging with 4 MP resolution Excellent low-light performance with powered-by-DarkFighter technology</p> <p>Motorized varifocal lens for easy installation Clear imaging against strong backlight due to 120 dB true WDR technology</p> <p>Efficient H.265+ compression technology Focus on human and vehicle targets classification based on deep learning</p> <p>Audio and alarm interface available Water and dust resistant (IP67) and vandal-resistant (IK10)</p>	<b>IRR 234,160,000</b>
45		<b>DS-2CD2643G2-IZS</b>	<p>4 MP WDR Motorized Varifocal Bullet Network Camera * High quality imaging with 4 MP resolution * Motorized varifocal lens for easy installation and monitoring * Clear imaging against strong backlight due to 120 dB WDR technology * Efficient H.265+ compression technology * Water and dust resistant (IP67) and vandal resistant (IK10) * Focus on human and vehicle targets * classification based on deep learning</p>	<b>IRR 163,900,000</b>
46		<b>DS-2CD2683G2-IZS</b>	<p>High quality imaging with 8 MP resolution - Motorized varifocal lens for easy installation and monitoring - Efficient H.265+ compression technology - Clear imaging against strong backlight due to 120 dB true WDR technology - Focus on human and vehicle targets classification based on deep learning - Audio and alarm interface available - Water and dust resistant (IP67) and vandal-resistant (IK10)</p>	<b>IRR 213,390,000</b>
47		<b>DS-2CD2666G2-IZS</b>	<p>High quality imaging with 6 MP resolution - Motorized varifocal lens - Excellent low-light performance with powered-by-DarkFighter technology - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology Focus on human and vehicle targets classification based on deep learning - Audio and alarm interface available - Water and dust resistant (IP66) and vandal proof (IK10)</p>	<b>IRR 246,070,000</b>
48		<b>DS-2CD2686G2-IZS</b>	<p>4K AcuSense Varifocal Bullet Network Camera - High quality imaging with 8 MP resolution - Motorized varifocal lens for easy installation and monitoring - Excellent low-light performance via powered-by-DarkFighter technology - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Focus on human and vehicle targets classification based on deep learning - Audio and alarm interface available - Water and dust resistant (IP66) and vandal proof (IK10)</p>	<b>IRR 251,570,000</b>
49		<b>DS-2CD2786G2-IZS</b>	<p>High quality imaging with 8 MP resolution - Motorized varifocal lens for easy installation and monitoring - Excellent low-light performance via powered-by-DarkFighter technology - Efficient H.265+ compression technology - Clear imaging against strong back light due to 120 dB true WDR technology - Focus on human and vehicle targets classification based on deep learning - Audio and alarm interface available - Water and dust resistant (IP66) and vandal proof (IK10)</p>	<b>IRR 275,380,000</b>
50		<b>DS-2CD2443G0-IW</b>	<p>4MP PIR Cube Network Camera * High quality imaging with 4 MP resolution * Efficient H.265+ compression technology * Provide real-time security via built-in two-way audio * Detect human body through passive infrared which is sensitive to body temperature (PIR)</p>	<b>IRR 107,000,000</b>
51		<b>DS-2CD2423G0-IW</b>	<p>High quality imaging with 2 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology</p> <p>Provides real-time security via built-in two-way audio Detects human body through passive infrared is sensitive to body temperature (PIR)</p>	<b>IRR 105,750,000</b>
52		<b>DS-2CD2955FWD-IS</b>	<p>5 MP Fisheye Fixed Dome Network Camera * High quality imaging with 5 MP resolution * 180° fisheye view Efficient H.265+ compression technology * Clear imaging against strong back light due to 120 dB true WDR technology. S: SOUND INPUT</p>	<b>IRR 220,030,000</b>

53		<b>DS-2DE4225IW-DE</b>	High quality imaging with 2 MP resolution Excellent low-light performance with powered-by-DarkFighter technology - Clear imaging against strong back light by 120 dB WDR technology Up to 100 m IR range ensures safety at night Water and dust resistant (IP66)	<b>IRR 334,130,000</b>
54		<b>DS-2DE4425IW-DE</b>	High quality imaging with 4 MP resolution Excellent low-light performance with powered-by-DarkFighter technology - Clear imaging against strong back light by 120 dB WDR technology Up to 100 m IR range ensures safety at night Water and dust resistant (IP66)	<b>IRR 377,000,000</b>
55		<b>DS-2DE5232IW-AE</b>	High quality imaging with 2 MP resolution Excellent low-light performance via powered-by-DarkFighter technology - Clear imaging against strong back lighting due to 120 dB WDR technology Up to 150m IR range ensures safety at night Water and dust resistant (IP66).	<b>IRR 766,020,000</b>
56		<b>DS-2DE5425IW-AE</b>	High quality imaging with 4 MP resolution Excellent low-light performance via powered-by-DarkFighter technology - Clear imaging against strong back lighting due to 120 dB WDR technology Up to 150m IR range ensures safety at night Water and dust resistant (IP66).	<b>IRR 690,050,000</b>
57		<b>DS-2DE2A404IW-DE3</b>	High quality imaging with 4 MP resolution Excellent low-light performance via powered-by-DarkFighter technology - Clear imaging against strong back lighting due to 120 dB WDR technology - Up to 20m IR range ensures safety at night Water and dust resistant (IP66) and vandal proof (IK10)	<b>IRR 192,530,000</b>

## NVR

58		<b>DS-7604NI-K1</b>	4-ch 1U 4K NVR - Up to 4 channel IP cameras can be connected - Supports decoding H.265+/H.265/H.264+/H.264 video formats - Up to 4K high-definition live view, storage and playback - Up to 4-ch @ 1080p decoding capacity - Up to 40 Mbps high incoming bandwidth ensures IP cameras can be connected - Simultaneous HDMI and VGA output of the same video stream - 1 HDD for continuous video recording	<b>IRR 89,000,000</b>
59		<b>DS-7604NI-Q1</b>	Up to 4-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity Up to 40 Mbps incoming bandwidth	<b>IRR 85,920,000</b>
60		<b>DS-7608NXI-I2/S</b>	H.265+/H.265/H.264+/H.264 video formats Intelligent analytics based on deep learning algorithm Up to 4-ch perimeter protection Up to 4-ch facial recognition for video stream Up to 8-ch facial recognition for face picture Up to 8-ch IP camera inputs - Up to 32-ch 1080p decoding capability	<b>IRR 317,180,000</b>
61		<b>DS-7608NXI-I2/8P/S</b>	H.265+/H.265/H.264+/H.264 video formats Intelligent analytics based on deep learning algorithm Up to 4-ch perimeter protection Up to 4-ch facial recognition for video stream Up to 8-ch facial recognition for face picture Up to 8-ch IP camera inputs - Up to 32-ch 1080p decoding capability	<b>IRR 431,250,000</b>
62		<b>DS-7608NI-Q2</b>	Up to 8-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity Up to 80 Mbps incoming bandwidth	<b>IRR 113,080,000</b>
63		<b>DS-7608NI-K1</b>	8-ch 1U 4K NVR - Up to 8-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats - Up to 1-ch @ 8MP or 5-ch @ 1080P decoding capacity - Up to 80 Mbps incoming bandwidth	<b>IRR 89,780,000</b>




64		<b>DS-7616NI-Q1</b>	16-ch 1U 4K NVR - Up to 16-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats - Up to 1-ch @ 8MP or 5-ch @ 1080P decoding capacity - Up to 160 Mbps incoming bandwidth	<b>IRR 103,440,000</b>
65		<b>DS-7616NI-Q2</b>	16-ch 1U 4K NVR - Up to 16-ch IP camera inputs - H.265+/H.265/H.264+/H.264 video formats - Up to 1-ch @ 8MP or 5-ch @ 1080P decoding capacity - Up to 160 Mbps incoming bandwidth	<b>IRR 122,370,000</b>
66		<b>DS-7616NI-K1</b>	Up to 16-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch @ 8MP or 5-ch @ 1080P decoding capacity Up to 160 Mbps incoming bandwidth	<b>IRR 131,100,000</b>
67		<b>DS-7616NI-K2</b>	IP video input : 16-ch Up to 8 MP resolution - Decoding format : H.265+/H.265/ H.264+/H.264 - Incoming bandwidth : 160 Mbps - HDMI output : 4K (3840 x 2160)/30Hz - Capacity : 2 SATA interface Up to 6TB capacity for each disk	<b>IRR 128,820,000</b>
68		<b>DS-7616NI-K2/16P</b>	Up to 16-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 2-ch@8 MP or 4-ch@4 MP or 8-ch@1080p decoding capacity 2 SATA interfaces for HDD connection (up to 10 TB capacity per HDD) - Up to 160 Mbps incoming bandwidth	<b>IRR 265,650,000</b>
69		<b>DS-7616NXI-I2/S</b>	H.265+/H.265/H.264+/H.264 video formats Intelligent analytics based on deep learning algorithm Up to 4-ch perimeter protection Up to 4-ch facial recognition for video stream Up to 8-ch facial recognition for face picture Up to 16-ch IP camera inputs Up to 32-ch 1080p decoding capability	<b>IRR 301,730,000</b>
70		<b>DS-7632NXI-K2</b>	Up to 32-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 2-ch@12 MP or 3-ch@8 MP or 6-ch@4 MP or 12-ch@1080p decoding capacity - Up to 256 Mbps incoming bandwidth Adopt Hikvision Acusense technology to minimize manual effort and security costs	<b>IRR 259,650,000</b>
71		<b>DS-7732NXI-K4</b>	Up to 32-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 2-ch@12 MP or 3-ch@8 MP or 6-ch@4 MP or 12-ch@1080p decoding capacity Up to 256 Mbps incoming bandwidth	<b>IRR 378,040,000</b>
72		<b>DS-7732NXI-I4/S</b>	H.265+/H.265/H.264+/H.264 video formats Intelligent analytics based on deep learning algorithm Up to 4-ch perimeter protection Up to 4-ch facial recognition for video stream Up to 8-ch facial recognition for face picture Up to 32-ch IP camera inputs Up to 32-ch 1080p decoding capability	<b>IRR 582,610,000</b>

73		DS-9632NI-I8	Up to 32 channel IP cameras can be connected - Up to 12 MP high-definition live view, storage and playback - Up to 320 Mbps (or 200 Mbps when RAID is enabled) high incoming bandwidth ensures IP cameras can be connected - 2 HDMI (different source) and 2 VGA (different source) interfaces - 8 HDD can be used for continuous video recording - Supports some specialist cameras, including people counting camera/ANPR (automatic number plate recognition) camera/fisheye camera - Advanced streaming technology enables smooth live view in poor network conditions - Supports RAID 0, 1, 5, 6, 10 and N+1 hot spare for even more reliable data storage, effectively avoids data loss risks	IRR 1,180,130,000
74		DS-9632NI-M8	Up to 32-ch IP camera inputs Up to 2-ch@32 MP/2-ch@24 MP/4-ch@12 MP/8-ch@8 MP/16-ch@4 MP/32-ch@1080p decoding capacity Up to 320 Mbps incoming bandwidth and 400 Mbps outgoing bandwidth 2 HDMI (different source) and 2 VGA (different source) interfaces, 8K or dual 4K video output - Supports RAID 0, 1, 5, 6, 10 and N+M hot spare for even more reliable data storage, effectively avoids data loss risks	IRR 963,810,000
75		DS-9632NI-M16	Up to 32-ch IP camera inputs Up to 2-ch@32 MP/2-ch@24 MP/4-ch@12 MP/8-ch@8 MP/16-ch@4 MP/32-ch@1080p decoding capacity Up to 320 Mbps incoming bandwidth and 400 Mbps outgoing bandwidth 2 HDMI (different source) and 2 VGA (different source) interfaces, 8K or dual 4K video outputs - Supports RAID 0, 1, 5, 6, 10 and N+M hot spare for even more reliable data storage, effectively avoids data loss risks	IRR 1,507,990,000
76		DS-9632NXI-I8/S	32-ch 2U 4K AcuSense NVR - H.265+/H.265/H.264+/H.264 video formats - Intelligent analytics based on deep learning algorithm - Up to 4-ch perimeter protection - Up to 1-ch facial recognition for video stream, or up to 4-ch facial recognition for face picture - Up to 32-ch IP camera inputs - Up to 16-ch 1080p decoding capability - Up to 320 Mbps incoming bandwidth	IRR 1,089,000,000
77		DS-9664NI-I8	Up to 64 channel IP cameras can be connected - Up to 12 MP high-definition live view, storage and playback - Up to 320 Mbps (or 200 Mbps when RAID is enabled) high incoming bandwidth ensures IP cameras can be connected - 2 HDMI (different source) and 2 VGA (different source) interfaces - 8 HDD can be used for continuous video recording - Supports some specialist cameras, including people counting camera/ANPR (automatic number plate recognition) camera/fisheye camera - Advanced streaming technology enables smooth live view in poor network conditions - Supports RAID 0, 1, 5, 6, 10 and N+1 hot spare for even more reliable data storage, effectively avoids data loss risks	IRR 1,539,150,000
78		DS-9664NI-M8	Up to 64-ch IP camera inputs Up to 2-ch@32 MP/2-ch@24 MP/4-ch@12 MP/8-ch@8 MP/16-ch@4 MP/32-ch@1080p decoding capacity Up to 400 Mbps incoming bandwidth and 400 Mbps outgoing bandwidth - 2 HDMI (different source) and 2 VGA (different source) interfaces, 8K or dual 4K video outputs Supports special cameras, including people counting camera, ANPR (automatic number plate recognition) camera, and fisheye camera Supports RAID 0, 1, 5, 6, 10 and N+M hot spare for even more reliable data storage, effectively avoids data loss risks	IRR 1,353,940,000
79		DS-9664NXI-I8/S	64-ch 2U 4K AcuSense NVR - H.265+/H.265/H.264+/H.264 video formats - Intelligent analytics based on deep learning algorithm - Up to 4-ch perimeter protection - Up to 1-ch facial recognition for video stream, or up to 4-ch facial recognition for face picture - Up to 64-ch IP camera inputs - Up to 16-ch 1080p decoding capability - Up to 320 Mbps incoming bandwidth	IRR 1,398,650,000

# Turbo HD CAMERA





80		<b>DS-2CE16D0T-ITPF</b>	2 MP high performance CMOS - 1920 × 1080 resolution - 2.8 mm, 3.6 mm fixed lens - Up to 20 m IR distance - 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) - IP66 weatherproof - True Day/Night, Smart IR	<b>IRR 16,250,000</b>
81		<b>DS-2CE16D0T-ITPFS</b>	2 MP Audio Fixed Mini Bullet Camera - 2 MP coaxial audio camera Enhancing safety with discreet and economical built-in microphone - Transmits audio over the coaxial cable - EXIR 2.0: advanced infrared technology with 25 m IR distance - Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	<b>IRR 21,600,000</b>
82		<b>DS-2CE16D0T-ITFS</b>	2 MP Fixed Mini Bullet Camera * 2 MP bullet camera * Smart IR: up to 30 m IR distance * Water and dust resistant (IP67) * 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS) * Built in Mic	<b>IRR 26,300,000</b>
83		<b>DS-2CE16D3T-IT3F</b>	2 MP Ultra Low Light Fixed Mini Bullet Camera - Strong night performance, capturing images in ultra-low light down to 0.005 lux - Clear imaging even against strong back lighting due to 120 dB true WDR technology - 3D DNR technology delivers clean and sharp images - EXIR 2.0: advanced infrared technology with 30 m IR distance - Water and dust resistant (IP67), 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).	<b>IRR 33,280,000</b>
84		<b>DS-2CE10DF0T-FS</b>	High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture 3D DNR technology delivers clean and sharp images 2.8 mm, 3.6 mm fixed focal lens - Up to 20 m white light distance for bright night imaging - High quality audio with audio over coaxial cable, built-in mic One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)	<b>IRR 43,960,000</b>
85		<b>DS-2CE10DF0T-PFS</b>	High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture 3D DNR technology delivers clean and sharp images 2.8 mm, 3.6 mm fixed focal lens Up to 20 m white light distance for bright night imaging High quality audio with audio over coaxial cable, built-in mic One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)	<b>IRR 42,300,000</b>
86		<b>DS-2CE10KF0T-PFS</b>	High quality imaging with 3K, 2960 × 1665 resolution 24/7 color imaging with F1.0 aperture 2.8 mm and 3.6 mm fixed focal lens Up to 20 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67) High quality audio with audio over coaxial cable, built-in mic	<b>IRR 47,750,000</b>
87		<b>DS-2CE16D0T-LPFS</b>	High quality imaging with 2 MP, 1920×1080 resolution 2.8 mm, 3.6 mm fixed focal lens Up to 25 m IR distance for bright night imaging Up to 20 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) High quality audio with audio over coaxial cable, built-in mic Water and dust resistant (IP67)	<b>IRR 28,720,000</b>
88		<b>DS-2CE10DF3T-F</b>	High quality imaging with 2 MP, 1920 × 1080 resolution - 24/7 color imaging with F1.0 aperture - Clear imaging against strong back light due to 130 dB true WDR technology - 3D DNR technology delivers clean and sharp images - 2.8 mm, 3.6 mm fixed focal lens - Up to 20 m white light distance for bright night imaging - High quality audio with audio over coaxial cable, Water and dust resistant (IP67)	<b>IRR 35,060,000</b>

89		<b>DS-2CE10DF3T-FS</b>	High quality imaging with 2 MP, 1920 × 1080 resolution - 24/7 color imaging with F1.0 aperture - Clear imaging against strong back light due to 130 dB true WDR technology - 3D DNR technology delivers clean and sharp images - 2.8 mm, 3.6 mm fixed focal lens - Up to 20 m white light distance for bright night imaging - High quality audio with audio over coaxial cable, built-in mic - One port for four switchable signals (TVI/AHD/CVI/CVBS) - Water and dust resistant (IP67)	IRR	<b>51,080,000</b>
90		<b>DS-2CE76D0T-ITPF</b>	2 MP Indoor Fixed Turret Camera * 2 MP turret camera * EXIR 2.0: advanced infrared technology with 20 m IR distance * 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).	IRR	<b>17,810,000</b>
91		<b>DS-2CE70DF0T-PF</b>	High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture 3D DNR technology delivers clean and sharp images 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 20 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS)	IRR	<b>33,840,000</b>
92		<b>DS-2CE56D0T-IT3F</b>	2 MP turret camera EXIR 2.0: advanced infrared technology with 40 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR	<b>33,280,000</b>
93		<b>DS-2CE76D0T-ITPFS</b>	2 MP Indoor Fixed Turret Camera * 2 MP turret camera * EXIR 2.0: advanced infrared technology with 20 m IR distance * 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS). Built in mic	IRR	<b>21,480,000</b>
94		<b>DS-2CE70DF3T-PFS</b>	High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture Clear imaging against strong back light due to 130 dB true WDR technology - 3D DNR technology delivers clean and sharp images 2.8 mm, 3.6 mm fixed focal lens Up to 20 m white light distance for bright night imaging High quality audio with audio over coaxial cable, built-in mic	IRR	<b>46,410,000</b>
95		<b>DS-2CE70DF3T-PF</b>	High quality imaging with 2 MP, 1920 × 1080 resolution - 24/7 color imaging with F1.0 aperture - Clear imaging against strong back light due to 130 dB true WDR technology - 3D DNR technology delivers clean and sharp images - 2.8 mm, 3.6 mm, 6 mm fixed focal lens - Up to 20 m white light distance for bright night imaging - One port for four switchable signals (TVI/AHD/CVI/CVBS)	IRR	<b>38,300,000</b>
96		<b>DS-2CE16H0T-ITPFS</b>	5 MP, 2560 × 1944 resolution - Digital WDR - 2.8 mm, 3.6 mm, 6 mm fixed focal lens - Smart IR, up to 25 m IR distance - Audio over coaxial cable, built-in mic - 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) IP67	IRR	<b>32,000,000</b>
97		<b>DS-2CE17H0T-IT1F</b>	5 MP Fixed Bullet Camera High quality imaging with 5 MP, 2560 × 1944 resolution 2.4 mm, 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 30 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)	IRR	<b>33,280,000</b>
98		<b>DS-2CE17H0T-IT3F</b>	5 MP Fixed Bullet Camera High quality imaging with 5 MP, 2560 × 1944 resolution 2.4 mm, 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 50 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)	IRR	<b>30,330,000</b>
99		<b>DS-2CE76D0T-LPFS</b>	High quality imaging with 2 MP, 1920×1080 resolution 2.8 mm, 3.6 mm fixed focal lens Up to 20 m IR distance for bright night imaging Up to 20 m white light distance for bright night imaging High quality audio with audio over coaxial cable, built-in mic One port for four switchable signals (TVI/AHD/CVI/CVBS)	IRR	<b>23,670,000</b>




100		<b>DS-2CE76H0T-ITMF (2.8mm)</b>	5 MP Fixed Turret Camera *5 MP turret camera*EXIR 2.0: advanced infrared technology with 30 m IR distance*Water and dust resistant (IP67)*4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR 30,910,000
101		<b>DS-2CE76H0T-ITPFS</b>	5 MP coaxial audio camera Enhanced safety with discreet and economical built-in microphone Transmit audio over coaxial cable EXIR 2.0: advanced infrared technology with 20 m IR distance 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR 29,500,000
102		<b>DS-2CE78H0T-IT1F (2.4mm)</b>	5 MP Fixed Turret Camera *5 MP turret camera*EXIR 2.0: advanced infrared technology with 30 m IR distance*Water and dust resistant (IP67)*4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR 36,000,000

## DVR

103		<b>IDS-7204HQHI-M1/S</b>	4-ch 1080p 1U H.265 AcuSense DVR - 4 channels and 1 HDD 1U AcuSense DVR - False alarm reduction through human and vehicle target classification based on deep learning - Efficient H.265 pro+ compression technology - Encoding ability up to 1080p @ 15 fps - 5 signals input adaptively (HDTV/AHD/CVI/CVBS/IP) - Up to 6 network cameras can be connected.	IRR 68,000,000
104		<b>DS-7204HUHI-K1</b>	4-ch 5 MP 1U H.265 DVR - 4 channels and 1 HDD 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 5 MP @ 12 fps 5 signals input adaptively (HDTV/AHD/CVI/CVBS/IP) Up to 8 network cameras can be connected Transmits both HDTV video	IRR 102,000,000
105		<b>IDS-7204HUHI-M1/S</b>	4 channels and 1 HDD 1U AcuSense DVR False alarm reduction by human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 8 MP lite @ 15 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTV/AHD/CVI/CVBS/IP) Up to 8 network cameras can be connected.	IRR 99,910,000
106		<b>IDS-7208HQHI-M1/S</b>	8-ch 1080p 1U H.265 AcuSense DVR - 8 channels and 1 HDD 1U AcuSense DVR - False alarm reduction through human and vehicle target classification based on deep learning - Efficient H.265 pro+ compression technology - Encoding ability up to 1080p @ 15 fps - 5 signals input adaptively - (HDTV/AHD/CVI/CVBS/IP) - Up to 12 network cameras can be connected	IRR 109,850,000
107		<b>IDS-7208HQHI-M2/S</b>	8-ch 1080p 1U H.265 AcuSense DVR - 8 channels and 2 HDD 1U AcuSense DVR - False alarm reduction through human and vehicle target classification based on deep learning - Efficient H.265 pro+ compression technology - Encoding ability up to 1080p @ 15 fps - 5 signals input adaptively - (HDTV/AHD/CVI/CVBS/IP) - Up to 12 network cameras can be connected	IRR 131,880,000
108		<b>IDS-7208HUHI-M1/S</b>	8 channels and 1 HDD 1U AcuSense DVR - False alarm reduction by human and vehicle target classification based on deep learning - Efficient H.265 pro+ compression technology - Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps - 5 signals input adaptively (HDTV/AHD/CVI/CVBS/IP) - Up to 16 network cameras can be connected	IRR 180,520,000
109		<b>iDS-7208HUHI-M2/S</b>	8 channels and 2 HDDs 1U AcuSense DVR False alarm reduction by human and vehicle target classification based on deep learning - Efficient H.265 pro+ compression technology - Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTV/AHD/CVI/CVBS/IP) Up to 16 network cameras can be connected.	IRR 212,120,000
110		<b>DS-7216HGHI-K1</b>	16-ch 1080p Lite 1U H.265 DVR - 16 channels and 1 HDD 1U DVR - Efficient H.265 pro+ compression technology - Encoding ability up to 1080p lite @ 15 fps - 5 signals input adaptively (HDTV/AHD/CVI/CVBS/IP) - Up to 18 network cameras can be connected.	IRR 78,150,000

111		<b>IDS-7216HQHI-M1/S</b>	16-ch 1080p 1U H.265 AcuSense DVR - 16 channels and 1 HDD 1U AcuSense DVR - False alarm reduction through human and vehicle target classification based on deep learning - Efficient H.265 pro+ compression technology - Encoding ability up to 1080p @ 15 fps - 5 signals input adaptively (HDTV/AVHD/CVI/CVBS/IP) - Up to 24 network cameras can be connected.	<b>IRR 173,100,000</b>
112		<b>IDS-7216HQHI-M2/S</b>	16-ch 1080p 1U H.265 AcuSense DVR - 16 channels and 2 HDD 1U AcuSense DVR - False alarm reduction through human and vehicle target classification based on deep learning - Efficient H.265 pro+ compression technology - Encoding ability up to 1080p @ 15 fps - 5 signals input adaptively (HDTV/AVHD/CVI/CVBS/IP) - Up to 24 network cameras can be connected.	<b>IRR 223,000,000</b>
113		<b>IDS-7216HUHI-M2/S</b>	16-ch 5 MP 1U H.265 AcuSense DVR - Deep learning-based motion detection 2.0 for all analog channels - Deep learning-based perimeter protection - Efficient H.265 pro+ compression technology - Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps - 5 signals input adaptively (HDTV/AVHD/CVI/CVBS/IP) - Up to 32 network cameras can be connected	<b>IRR 283,970,000</b>
114		<b>IDS-7232HQHI-M2/S</b>	32-ch 1080p 1U H.265 AcuSense DVR - Deep learning-based motion detection 2.0 for all analog channels - Deep learning-based perimeter protection - Efficient H.265 pro+ compression technology - Encoding ability up to 1080p @ 15 fps - 5 signals input adaptively (HDTV/AVHD/CVI/CVBS/IP) - Up to 40 network cameras can be connected	<b>IRR 363,330,000</b>

## WiFi Kit

115		<b>NK42W0H-1T(WD)</b>	<p>One pack provides everything required for small monitoring scenarios: One 4-ch Wi-Fi NVR with decoding up to 2-ch @ 2MP Four 2 MP bullet Wi-Fi cameras with efficient H.265 compression technology</p> <p>One network cable and one HDMI cable Pre-install 1 TB HDD Auto Wi-Fi connection and easy installation</p>	ناموجود
116		<b>NK44W0H-1T(WD)</b>	<p>One pack provides everything required for small monitoring scenarios: One 4-ch Wi-Fi NVR with decoding up to 4-ch @ 4MP four 4 MP bullet Wi-Fi cameras with efficient H.265 compression technology</p> <p>One network cable and one HDMI cable Pre-install 1TB HDD Auto Wi-Fi connection and easy installation</p>	<b>IRR 533,640,000</b>
117		<b>DS-1LN6U-G</b>	<p>Full diameter 305 m CAT6 network cable Core diameter: 0.55mm</p> <p>Excellent transmission performance using solid copper Quality verified by Fluke test Guaranteed long PoE transmission distance Great PVC flame resistance.</p>	<b>IRR 70,000,000</b>

HIK-LOOK.COM | 02162999185

تهران - خیابان آزادی - نرسیده به میدان انقلاب - روبروی ایستگاه دکتر قریب - ساختمان کاوه - بلوک C - طبقه دوم - واحد 128